

**Ausgabe:** ZWP 3/16

**Thema:** Gezielte Biofilmkontrolle bei periimplantärer Mukositis

**Autoren:** Dr. Gabriele David

---

**Literatur:**

1. Atieh MA, Alsabeeha NH, Faggion CM Jr, Duncan WJ: The frequency of peri-implant diseases: a systematic review and meta-analysis. *J Periodontol* 2013; 84: 1586-1598
2. Costa FO, Takenaka-Martinez S, Cota LO, Ferreira SD, Silva GL, Costa JE: Peri-implant disease in subjects with and without preventive maintenance: a 5-year follow-up. *J Clin Periodontol* 2012; 39: 173-181
3. Hallström H, Lindgren S, Twetman S: Effect of a chlorhexidine-containing brush-on gel on peri-implant mucositis. *Int J Dent Hyg* 2015; doi: 10.1111/idh.12184
4. De Waal YC, Van Winkelhoff AJ, Meijer HJ, Winkel EG: Differences in peri-implant conditions between fully and partially edentulous subjects: a systematic review. *J Clin Periodontol* 2013; 40: 266-286
5. Teughels W, Van Assche N, Sliepen I, Quirynen M: Effect of material characteristics and/or surface topography on biofilm development. *Clin Oral Impl Res* 2006; 17 (Suppl 2); 68-81
6. Lang NP, Berglundh T, et al: Periimplant diseases: where are we now? – Consensus of the Seventh European Workshop on Periodontology. *J Clin Periodontol* 2011; 38 (Suppl 11): 178-181
7. Todescan S, Lavigne S, Kelekis-Cholakakis A: Guidance for the maintenance care of dental implants: clinical review. *J Can Dent Assoc* 2012; 78: c107
8. Sagel PS, Lapujade PG, Miller JM, Sunberg RJ: Objective quantification of plaque using digital image analysis. *Monogr Oral Sci* 2000; 17: 130-143
9. Rühling A, Wulff J, Schwahn C, Kocher T: Surface wear on cervical restorations and adjacent enamel and root cementum caused by stimulated long-term maintenance therapy. *J Clin Periodontol* 2004; 31: 293-298
10. Lendenmann U, David G, Gigerl S, Schwenninger M, Roulet J-F: Oberflächeneffekte von Prophylaxepasten auf Komposite. *Prophylaxe impuls* 2011; 15: 71-76
11. Yazici AR, Antonson DE, Campillo M, Antonson SA, Karaman E, Munoz C: Effect of prophylactic pastes on ceramic surface roughness. *J Dent Res* 2012; 91 (Spec Iss A): 1059

12. Koller M, Arnetzl GV, Arnetzl G: Oberflächenqualität von Vollkeramik nach Pulverstrahlbehandlung – Eine in vitro Pilotstudie. *Stomatologie* 2010; 107: 123-126
13. Besimo CE, Guindy JS, Lewetag D, Meyer J: Marginale Passgenauigkeit und Bakteriendichtigkeit von verschraubten implantatgetragenen Suprastrukturen. *Parodontologie* 2000; 3: 217-229
14. Nekkalapudi S, Mikulski LM, Gurund S, Appachu K, Andreana S: Antimicrobial effect of a chlorhexidine varnish as coating on implant abutments. *IADR Boston 2015*, Abstr 4026
15. Twetman S, Hallgren A, Sköld K, Modéer T: Effect of a chlorhexidine-containing varnish on gingival inflammation. *J Dent Res* 1997; 76: 234
16. Fischer K, Sbicego S: Wissenschaftliche Dokumentation Cervitec Plus. Ivoclar Vivadent 2010
17. Fischer K, Sbicego S: Wissenschaftliche Dokumentation Cervitec Gel. Ivoclar Vivadent 2010
18. Supranoto SC, Slot DE, Addy M, Van der Weijden GA: The effect of chlorhexidine dentifrice or gel versus chlorhexidine mouthwash on plaque, gingivitis, bleeding and tooth discoloration: a systematic review. *Int J Hyg* 2015; 13: 83-82. doi: 10.1111/idh.12078