

Ausgabe: *Implantologie Journal 4/2016*

Thema: Konfektionierte Verbindungselemente zur Verankerung von Zahnprothesen auf Implantaten

Autor: Dr. Martin Müllauer

LITERATUR

1. Büttel AE, Bühler NM, Marinello CP: Locator or ball attachment: a guide for clinical decision making. *Schweiz Monatsschr Zahnmed.* 2009;119(9):901-18.
2. Karbach J, Hartmann S, Jahn-Eimermacher A, Wagner W.: Oral Health-Related Quality of Life in Edentulous Patients with Two- vs Four-Locator-Retained Mandibular Overdentures: A Prospective, Randomized, Crossover Study. *Int J Oral Maxillofac Implants.* 2015 Sep-Oct;30(5):1143-8. doi: 10.11607/jomi.3987.
3. Krennmair G1, Seemann R, Fazekas A, Ewers R, Piehslinger E.; Overdenture locator attachments for atrophic mandible. *Contemp Clin Dent.* 2013 Oct;4(4):509-11
4. Mahajan N, Thakkur RK: Overdenture locator attachments for atrophic mandible. *Contemp Clin Dent.* 2013 Oct;4(4):509-11. doi: 10.4103/0976-237X.123060.
5. Boeckler A, Ehring C, Setz JM: Retentionscharakteristiken implantat-prothetischer Magnetattachments. *Z Zahnärztl Impl.* 2008; 24 (4), 276-288.
6. Naert I, Quirynen M, Hooghe M, van Steenberghe D: A comparative study of splinted and unsplinted Brånemark implants in mandibular overdenture therapy. *J Prosthet Dent* 1994;71:486–492.
7. Troeltzsch M1, Troeltzsch V, Brodine AH, Frankenberger R, Messlinger K, Troeltzsch M.; Clinical performance and peri-implant parameters of 132 implants supporting locator-retained overdentures: a case series of 33 patients. *Int J Oral Maxillofac Implants.* 2013 Jul-Aug;28(4):1132-9.
8. Biemans Rianne: Retentieverlies bij matrixsystemen voor de overkappingprothese. Radboud University Nijmegen Medical Centre 2013.
9. Łapaj Ł, Wendland J, Markuszewski J, Mróz A, Wiśniewski T: Retrieval analysis of titanium nitride (TiN) coated prosthetic femoral heads articulating with polyethylene. *J Mech Behav Biomed Mater.* 2015 Mar;55:127-39. doi: 10.1016/j.jmbbm.2015.10.012. Epub 2015 Oct 30.
10. van Hove RP, Sierevelt IN, van Royen BJ, Nolte PA: Titanium-Nitride Coating of Orthopaedic Implants: A Review of the Literature. *Biomed Res Int.*

2015;2015:485975. doi: 10.1155/2015/485975. Epub 2015 Oct 25.

11. Ludwig K, Hartfil H, Kern M: Untersuchung zum Verschleißverhalten von Kugelkopffattachments. *Quintessenz Zahntechnik* 2005; 10: 1074-1083.
12. Nickenig HJ, Spiekermann H, Wichmann M, Andreas SK, Eitner S.: Survival and complication rates of combined tooth-implant-supported fixed and removable partial dentures. *Int J Prosthodont.* 2008 Mar-Apr;21(2):131-7.
13. Eisenburger M, Gray G, Tschernitschek H: Long-term results of telescopic crown retained dentures--a retrospective study. *Eur J Prosthodont Restor Dent.* 2000 Sep; 8(3):87-91.
14. Lopes LF, da Silva VF, Santiago JF Jr, Panzarini SR, Pellizzer EP: Placement of dental implants in the maxillary tuberosity: a systematic review. *Int J Oral Maxillofac Surg.* 2015 Feb;44(2):229-38. doi: 10.1016/j.ijom.2014.08.005. Epub 2014 Sep 26.
15. Bahat O: Osseointegrated implants in the maxillary tuberosity: report on 45 consecutive patients. *Int J Oral Maxillofac Implants.* 1992;7:459-467.
16. Ridell A, Gröndahl K, Sennerby L: Placement of Brånemark implants in the maxillary tuber region: anatomical considerations, surgical technique and long-term results. *Clin Oral Implants Res.* 2009 Jan;20(1):94-8. doi: 10.1111/j.1600-0501.2007.01491.x.
17. Zipprich H, Weigl P, Lange B, Lauer H-C. 2007. Erfassung, Ursachen und Folgen von Mikrobewegungen am Implantat-Abutment-Interface. *Implantologie* 15: 31-46.
18. Karbach J, Al-Nawas B: Im Vergleich: Implantat-Abutment-Verbindungen. *DENT IMPLANTOL* 15, 6, 368 – 372 (2011)
19. Rack A, Rack T, Stiller M, Riesemeier H, Zabler S, Nelson K. 2010. In vitro synchrotron-based radiography of micro-gap formation at the implant-abutment interface of two-piece dental implants. *J.Synchrotron.Radiat.* 17: 289-294.
20. Zipprich H, Miatke S, Hmaidouch R, Lauer HC.: A New Experimental Design for Bacterial Microleakage Investigation at the Implant-Abutment Interface: An In Vitro Study. *Int J Oral Maxillofac Implants.* 2016 Jan-Feb;31(1):37-44. doi: 10.11607/jomi.3713.
21. Carlsson GE: Implant and root supported overdentures - a literature review and some data on bone loss in edentulous jaws. *J Adv Prosthodont.* 2014 Aug;6(4): 245-52. doi: 10.4047/jap.2014.6.4.245. Epub 2014 Aug 14.
22. Gates WD 3rd, Cooper LF, Sanders AE, Reside GJ, De Kok IJ: The effect of implant-supported removable partial dentures on oral health quality of life. *Clin Oral Implants Res.* 2014 Feb;25(2):207-13. doi: 10.1111/clr.12085. Epub 2012 Dec 21.

23. LiZ, Kuhn G, von Salis-Soglio M, Cooke SJ, Schirmer M, Müller R, Ruffoni D: In vivo monitoring of bone architecture and remodeling after implant insertion: The different responses of cortical and trabecular bone. *Bone*. 2015 Dec;81:468-77. doi: 10.1016/j.bone.2015.08.017. Epub 2015 Aug 22.
24. Masuda T, Salvi GE, Offenbacher S, Felton DA, Cooper LF.: Cell and matrix reactions at titanium implants in surgically prepared rat tibiae. *Int J Oral Maxillofac Implants*. 1997 Jul-Aug;12(4):472-85.