

Literatur

Ausgabe: Implantologie Journal 4/2016

Thema: Zygoma Shorty All-on-4 nach totalem Knochenverlust im Oberkiefer

Autoren: Dr. Dr. Christoph Zizelmann, PD Dr. Dr. Thomas Fillies

Al-Nawas B, Wegener J, Bender C, Wagner W. Critical soft tissue parameters of the zygomatic implant. J Clin periodontal 2004; 31: 497-500

Becktor JP, Isaksson S, Abrahamsson P, Sennerby L. Evaluation of 31 zygomatic implants and 74 regular dental implants used in 16 patients for prosthetic reconstruction of the atrophic maxilla with cross-arch fixed bridges. Clin Implant Dent Relat Res 2005; 7: 159-65

Bedrossian E. Immediate function with the zygomatic implant. A graftless solution for the patient with mild to advanced atrophy of the maxilla. Int J Oral Maxillofac Implants 2006; 21: 937-942

Parel SM, Branemark PI, Ohrenell LO, Svensson B. Remote. Implant anchorage for rehabilitation of maxillary defects. J Prosthet Dent 2001; 86: 377-81

Hammer B, Zizelmann C, Scheufler K. Solid modeling in surgery of the anterior skull base. Op Tech Otolaryngol Head Neck Surg 2010; 21: 96-99

Khoury F. Augmentation osseuse et chirurgie implantaires. Implant 1999; 14: 557-564

Lana JP1, Carneiro PM, Machado Vde C, de Souza PE, Manzi FR, Horta MC. Anatomic variations and lesions of the maxillary sinus detected in cone beam computed tomography for dental implants. Clin Oral Implants Res. 2012; 23: 1398-403

Malo P, Rangert B, Nobre M: All-on-4 immediate- function concept with Brånemark System implants for completely edentulous maxillae: a 1-year retrospective clinical study. Clin Implant Dent Relat Res 2005; 7: 88–94

Weed DT, Cole RR. Maxillary sinus hypoplasia and vertical dystopia of the orbit. Laryngoscope 1994; 104: 758–762

Zizelmann C, Hammer B, Gellrich NC, Schwestka-Polly R, Rana M, Bucher P. An evaluation of face-bow transfer for the planning of orthognathic surgery. J Oral Maxillofac Surg. 2012; 70:1 944-50

Zizelmann C, Schön R, Metzger MC, Schmelzeisen R, Schramm A, Dott B, Bormann KH, Gellrich NC. Bone formation after sinus augmentation with engineered bone. Clinical Oral Implants Research 2007; 18: 69-73