

Ausgabe: Implantologie Jahrbuch 2016, S. 64-69

Thema: Herstellung und Anwendung CAD/CAM-gefräster, patientenspezifischer Knochenblöcke

Autoren: Priv.-Doz. Dr. Dr. Kristian Würzler, Dr. Florian Will, Dr. Stefan Berger

Literatur

1. Cacaci C: Knochenersatzmaterialien in der Implantologie. *Journal for Continuing Dental Education* 10: 22-31 (2007).
2. Fugazzotto PA, Vlassis J: Long-term success of sinus augmentation using various surgical approaches and grafting materials. *Int J Oral Maxillofac Implants* 13: 52-8 (1998).
3. Froum SJ, Wallace SS, Elian N, Cho SC, Tarnow DP: Comparison of mineralized cancellous bone allograft (Puros) and anorganic bovine bone matrix (Bio-Oss) for sinus augmentation: histomorphometry at 26 to 32 weeks after grafting. *Int. J Periodont. Rest.* 26: 543-51 (2006).
4. Schwartzmann M: Use of collagen membranes for guided bone regeneration: a review. *Implant Dent.* 9: 63-6 (2000).
5. Simion M, Trisi P, Piattelli A: GBR with an e-PTFE membrane associated with DFDBA: histologic and histochemical analysis in a human implant retrieved after 4 years of loading. *Int J Periodontics Restorative Dent* 16: 338-47 (1996).
6. Pikos MA: Mandibular Block Autografts for Alveolar Ridge Augmentation. *Atlas of the Oral and Maxillofacial Surgery Clinics* 13: 91-107 (2005).
7. Keith JD, Petrungaro P, Leonetti JA, Elwell CW, Zeren KJ, Caputo C, Nikitakis NG, Schopf C, Warner MM: Clinical and histologic evaluation of a mineralized block allograft: Results from the developmental period (2001-2004). *Int. J Periodont. Rest.* 26: 321-327 (2006).
8. Chaushu G, Marilena V, Mardinger O, Nissan J: Histomorphometric analysis following maxillary sinus floor augmentation using cancellous bone-block allograft. *J. Periodontol.* 81: 1147-52 (2010).
9. Urban IA, Jovanovic SA, Lozada JL: Vertical ridge augmentation using guided bone regeneration (GBR) in three clinical scenarios prior to implant placement: a retrospective study of 35 patients 12 to 72 months after loading. *Int J Oral Maxillofac Implants* 24: 502-10 (2009).
10. Zitzmann NU, Scharer P, Marinello CP: Long-term results of implants treated with guided bone regeneration: a 5-year prospective study. *Int J Oral Maxillofac Implants* 16: 355-66 (2001).
11. Proussaefs P, Lozada J: The use of intraorally harvested autogenous block grafts for vertical alveolar ridge augmentation: a human study. *Int J Periodontics Restorative Dent* 25: 351-63 (2005).
12. Schwartz-Arad D, Levin L: Intraoral autogenous block onlay bone grafting for extensive reconstruction of atrophic maxillary alveolar ridges. *J. Periodontol.* 76: 636-41 (2005).
13. Nkenke E, Radespiel-Troger M, Wiltfang J, Schultze-Mosgau S, Winkler G, Neukam FW: Morbidity of harvesting of retromolar bone grafts: a prospective study. *Clin Oral Implants Res* 13: 514-21 (2002).
14. Raghoobar GM, Meijndert L, Kalk WW, Vissink A: Morbidity of mandibular bone harvesting: a comparative study. *Int J Oral Maxillofac Implants* 22: 359-65 (2007).
15. Johansson B, Grepe A, Wannfors K, Hirsch JM: A clinical study of changes in the volume of bone grafts in the atrophic maxilla. *Dentomaxillofac Radiol* 30: 157-161 (2001).
16. Buser D: Membrangeschützte Knochenregeneration in der Implantologie. Quintessenz Verlag Berlin 2010.

17. Yamauchi K, Takahashi T, Funaki K, Hamada Y, Yamashita Y: Histological and histomorphometrical comparative study of [beta]-tricalcium phosphate block grafts and periosteal expansion osteogenesis for alveolar bone augmentation. *Int. J. Oral Maxillofac. Surg.* 39: 1000-1006 (2010).
18. Schultheiss M, Sarkar M, Arand M, Kramer M, Wilke H-J, Kinzl L, Hartwig E: Solvent-preserved, bovine cancellous bone blocks used for reconstruction of thoracolumbar fractures in minimally invasive spinal surgery—first clinical results. *Eur Spine J* 14: 192-196 (2005).
19. Bianchini MA, Buttendorf AR, Benfatti CaM, Bez LV, Ferreira CF, De Andrade RF: The Use of Freeze-Dried Bone Allograft as an Alternative to Autogenous Bone Graft in the Atrophic Maxilla: A 3-Year Clinical Follow-up. *Int. J. Periodont. Rest.* 29: 643-647 (2009).
20. Tudor C, Srour S, Thorwarth M, Stockmann P, Neukam FW, Nkenke E, Schlegel KA, Felszeghy E: Bone regeneration in osseous defects - application of particulated human and bovine materials. *Oral Surg Oral Med O* 105: 430-436 (2008).
21. Helmy N, Hintermann B: New trends in the treatment of proximal humerus fractures. *Clin. Orthop. Relat. Res.* 442: 100-8 (2006).
22. Hintermann B, Valderrabano V, Kundert HP: Lateral column lengthening by calcaneal osteotomy combined with soft tissue reconstruction for treatment of severe posterior tibial tendon dysfunction. Technique and preliminary results. *Der Orthopäde* 28: 760-769 (1999).
23. Rajan GP, Fornaro J, Trentz O, Zellweger R: Cancellous allograft versus autologous bone grafting for repair of comminuted distal radius fractures: a prospective, randomized trial. *J. Trauma* 60: 1322-9 (2006).
24. Gambini A, Mastantuono M, Di Giorgio L, Valeo M, Bassetti E, Persiani P, Costantino E, Villani C: Rehabilitation of allograft with bone dehydrated with solvents in reconstruction after removal of bone tumors: MRI evaluation. *Chir. Organi Mov.* 84: 359-66 (1999).
25. Gomes KU, Carlini JL, Biron C, Rapoport A, Dedivitis RA: Use of allogeneic bone graft in maxillary reconstruction for installation of dental implants. *J Oral Maxillofac Surg* 66: 2335-8 (2008).
26. Nissan J, Ghelfan O, Mardinger O, Calderon S, Chaushu G: Efficacy of Cancellous Block Allograft Augmentation Prior to Implant Placement in the Posterior Atrophic Mandible. *Clin Implant Dent R* 13: 279-285 (2011).
27. Beck TM, Mealey BL: Histologic analysis of healing after tooth extraction with ridge preservation using mineralized human bone allograft. *J. Periodontol.* 81: 1765-72 (2010).
28. Araujo PP, Oliveira KP, Montenegro SC, Carreiro AF, Silva JS, Germano AR: Block allograft for reconstruction of alveolar bone ridge in implantology: a systematic review. *Implant Dent.* 22: 304-8 (2013).
29. Katthagen BD, Scheffler S, Becker R, Willkomm D, Mayr HO, Pruß A: Gewinnung, Prozessierung und Transplantation allogener muskuloskelettaler Gewebe. *Transfusion Medicine and Hemotherapy* 35: 438-445 (2008).
30. Holtzclaw D, Toscano N, Eisenlohr L, Callan D: The safety of bone allografts used in dentistry - A review. *J. Am. Dent. Assoc.* 139: 1192-1199 (2008).
31. Katz J: The Effects of Various Cleaning and Sterilization Processes on Allograft Bone Incorporation. *J Long-Term Eff Med* 20: 271-276 (2010).
32. Schoepf C: Allograft Safety: The efficacy of the Tutoplast Process. *International Magazine of Oral Implantology* 1: 10-15 (2006).
33. Carinci F, Brunelli G, Franco M, Viscioni A, Rigo L, Guidi R, Strohmenger L: A Retrospective Study on 287 Implants Installed in Resorbed Maxillae Grafted with Fresh Frozen Allogeneous Bone. *Clin Implant Dent R* 12: 91-98 (2010).
34. Perrott DH, Smith RA, Kaban LB: The use of fresh frozen allogeneic bone for maxillary and mandibular reconstruction. *Int J Oral Maxillofac Surg* 21: 260-5 (1992).
35. Bundesärztekammer: Richtlinien zum Führen einer Knochenbank. *Deutsches Ärzteblatt* 98: A1011-A1016 (2001).

36. Maletta JA, Gasser JA, Fonseca RJ, Nelson JA: Comparison of the healing and revascularization of onlayed autologous and lyophilized allogeneic rib grafts to the edentulous maxilla. *J Oral Maxillofac Surg* 41: 487-99 (1983).
37. Laino L, Iezzi G, Piattelli A, Lo Muzio L, Cicciu M: Vertical ridge augmentation of the atrophic posterior mandible with sandwich technique: bone block from the chin area versus corticocancellous bone block allograft--clinical and histological prospective randomized controlled study. *Biomed Res Int* 2014: 982104 (2014).
38. Fotek PD, Neiva RF, Wang HL: Comparison of dermal matrix and polytetrafluoroethylene membrane for socket bone augmentation: a clinical and histologic study. *J. Periodontol.* 80: 776-85 (2009).
39. Schmitt CM, Doering H, Schmidt T, Lutz R, Neukam FW, Schlegel KA: Histological results after maxillary sinus augmentation with Straumann® BoneCeramic, Bio-Oss®, Puros®, and autologous bone. A randomized controlled clinical trial. *Clin. Oral Implants Res.* n/a-n/a (2012).
40. Gapski R, Neiva R, Oh TJ, Wang HL: Histologic analyses of human mineralized bone grafting material in sinus elevation procedures: a case series. *Int. J Periodont. Rest.* 26: 59-69 (2006).
41. Block MS, Degen M: Horizontal ridge augmentation using human mineralized particulate bone: Preliminary results. *J. Oral Maxillofac. Surg.* 62: 67-72 (2004).
42. Kim SG, Park JS, Lim SC: Placement of implant after bone graft using J block allograft. *Implant Dent.* 19: 21-8 (2010).
43. Toscano N, Shumaker N, Holtzclaw D: The Art of Block Grafting: A review of the surgical protocol for reconstruction of alveolar ridge deficiency. *J Implant Adv Clin Dent* 2: 45-66 (2010).
44. Alberius MG, Per: SOME BASIC FACTORS ESSENTIAL TO AUTOGENEIC NONVASCULARIZED ONLAY BONE GRAFTING TO THE CRANIOFACIAL SKELETON. *Scand. J. Plast. Reconstr. Surg. Hand Surg.* 33: 129-146 (1999).
45. Ciocca L, De Crescenzo F, Fantini M, Scotti R: CAD/CAM and rapid prototyped scaffold construction for bone regenerative medicine and surgical transfer of virtual planning: A pilot study. *Comput. Med. Imaging Graph.* 33: 58-62 (2009).
46. Jacotti M: Simplified onlay grafting with a 3-dimensional block technique: a technical note. *Int J Oral Maxillofac Implants* 21: 635-9 (2006).
47. Bucheler M, Weihe S, Eufinger H, Wehmoller M, Bootz F: Reconstruction with individual titanium implants after surgery for osteomyelitis of the frontal bone. *Hno* 50: 339-346 (2002).
48. Eufinger H, Wehmoller M, Machtens E, Heuser L, Harders A, Kruse D: Reconstruction of craniofacial bone defects with individual alloplastic implants based on CAD/CAM manipulated CT-Data. *J. Craniomaxillofac. Surg.* 23: 175-181 (1995).
49. Guo LJ, Tian WD, Feng F, Long J, Li PF, Tang W: Reconstruction of Orbital Floor Fractures Comparison of Individual Prefabricated Titanium Implants and Calvarial Bone Grafts. *Ann Plas Surg* 63: 624-631 (2009).
50. Klein M, Glatzer C: Individual CAD/CAM fabricated glass-bioceramic implants in reconstructive surgery of the bony orbital floor. *Plast Reconstr Surg* 117: 565-570 (2006).
51. Hollander DA, Von Walter M, Wirtz T, Sellei R, Schmidt-Rohlfing B, Paar O, Erli HJ: Structural, mechanical and in vitro characterization of individually structured Ti-6Al-4V produced by direct laser forming. *Biomaterials* 27: 955-963 (2006).
52. Frame M, Huntley JS: Rapid Prototyping in Orthopaedic Surgery: A User's Guide. *Scientific World Journal* 2012: 1-7 (2012).
53. Peckitt N, *Prosthetic implants*. 1997.
54. Khalyfa A, Vogt S, Weisser J, Grimm G, Rechtenbach A, Meyer W, Schnabelrauch M: Development of a new calcium phosphate powder-binder system for the 3D printing of patient specific implants. *J Mater Sci Mater Med* 18: 909-16 (2007).

55. Zhou L-B, Shang H-T, He L-S, Bo B, Liu G-C, Liu Y-P, Zhao J-L: Accurate Reconstruction of Discontinuous Mandible Using a Reverse Engineering/Computer-Aided Design/Rapid Prototyping Technique: A Preliminary Clinical Study. *J. Oral Maxillofac. Surg.* 68: 2115-2121 (2010).
56. Peters F, Groisman D, Davids R, Hanel T, Durr H, Klein M: Comparative Study of patient individual implants from beta-tricalcium phosphate made by different techniques based on CT data. *Materialwiss. Werkstofftech.* 37: 457-461 (2006).
57. Thull R, Sturm A, Pesch H-J, *Mechanische Eigenschaften nativer und präparierter Spongiosa*, in *Osteologie aktuell VII*, H.-J. Pesch, H. Stoess, and B. Kummer, Editors. 1993, Springer: Berlin. p. 157-163.
58. Paul-Ehrlich-Institut. *Licensed bone preparations in Germany*. 2014 04.03.2015]; Available from: <http://www.pei.de/DE/Arzneimittel/gewebezubereitungen/knochenpraeparationen/knochenpraeparationen-node.html>.
59. Wang HL, Tsao YP: Histologic evaluation of socket augmentation with mineralized human allograft. *Int. J. Periodont. Rest.* 28: 231-7 (2008).
60. Chaushu G, Mardinger O, Peleg M, Ghelfan O, Nissan J: Analysis of Complications Following Augmentation With Cancellous Block Allografts. *J. Periodontol.* 81: 1759-1764 (2010).
61. Plöger M, Schau I: Kieferkammaugmentation mit allogenen Knochenblöcken. *Journal for Continuing Dental Education* 12: 242-249 (2009).
62. Novell J, Novell-Costa F, Ivorra C, Fariñas O, Munilla A, Martinez C: Five-Year Results of Implants Inserted Into Freeze-Dried Block Allografts. *Implant Dent.* 21: 129-135 (2012).
63. Barone A, Varanini P, Orlando B, Tonelli P, Covani U: Deep-Frozen Allogeneic Onlay Bone Grafts for Reconstruction of Atrophic Maxillary Alveolar Ridges: A Preliminary Study. *J. Oral Maxillofac. Surg.* 67: 1300-1306 (2009).
64. Kim SJ, Shin HS, Shin SW: Effect of bone block graft with rhBMP-2 on vertical bone augmentation. *Int J Oral Maxillofac Surg* 39: 883-8 (2010).
65. Nissan J, Marilena V, Gross O, Mardinger O, Chaushu G: Histomorphometric analysis following augmentation of the anterior atrophic maxilla with cancellous bone block allograft. *Int J Oral Maxillofac Implants* 27: 84-9 (2012).
66. Nissan J, Marilena V, Gross O, Mardinger O, Chaushu G: Histomorphometric analysis following augmentation of the posterior mandible using cancellous bone-block allograft. *J Biomed Mater Res A* 97A: 509-513 (2011).
67. Solakoglu Ö: Präimplantologische laterale Kieferkammaugmentation mit allogenen Knochenersatzmaterial: Eine Fallserie mit histologischer und histomorphometrischer Dokumentation. *Z Zahnärztl Impl* 27: 24-32 (2012).
68. Mcallister BS, Haghighat K: Bone augmentation techniques. *J. Periodontol.* 78: 377-96 (2007).
69. Chiapasco M, Romeo E, Casentini P, Rimondini L: Alveolar distraction osteogenesis vs. vertical guided bone regeneration for the correction of vertically deficient edentulous ridges: a 1-3-year prospective study on humans. *Clin Oral Implants Res* 15: 82-95 (2004).