

Ausgabe: DT Germany 5/2016, S. 9

Thema: Tabuthema Mundgeruch – Fortbildung Halitosis

---

## Literatur

- <sup>1</sup> Deutsche Gesellschaft für Parodontologie, Halitosis (online)
- <sup>2</sup> Vierte Deutsche Mundgesundheitsstudie (DMS IV)
- <sup>3</sup> Seemann R, Conceicao MD, Filippi A, Greenman J, Lenton P, Nachnani S, et al. Halitosis management by the general dental practitioner – results of an international consensus workshop. *Journal of Breath Research* 2014; 8(1):017101 (6pp).
- <sup>4</sup> Yaegaki K, Brunette DM, Tangerman A, Choe Y-S, Winkel E, Ito S, et al. Standardization of clinical protocols in oral malodor research. *Journal of Breath Research* 2012;6:01701 (10 pp).
- <sup>5</sup> Miyazaki H, Sakao S, Katoh Y, Takehara T. Correlation between volatile sulphur compounds and certain oral health measurements in the general population. *Journal of Periodontology* 1995;66:679-84.
- <sup>6</sup> Young A, Jonski G, Rolla G. Inhibition of orally produced volatile sulfur compounds by zinc, chlorhexidine or cetylpyridinium chloride: effect of concentration. *European Journal of Oral Sciences* 2003;111:400-4.
- <sup>7</sup> Gürkan Cem A, Zaim E, Bakirsoy Isil, Soykan E. Short-Term Side Effects of 0.2% Alcohol-Free Chlorhexidine Mouthrinse Used as an Adjunct to Non-Surgical Periodontal Treatment: A Double-Blind Clinical Study. *Journal of Periodontology* 2006;77:370-84.
- <sup>8</sup> Efficacy of the mouthwash CB12 in the treatment of intra-oral halitosis: a double-blind, randomised, controlled trial, Seemann et al., Posterpräsentation, Deutscher Zahnärztetag 2015, Frankfurt a.M. (Publikation eingereicht)