

LITERATUR

Ausgabe: Implantologie Journal 5/2016

Thema: Die biomechanische Stabilität des augmentierten Alveolarkammes im Vergleich zum nativen Kieferknochen

Autoren: Dr. Angelo Troedhan, Dr. med. dent. Izabela Schlichting, Dr. Marcel Wainwright, Dr. Andreas Kurrek

-
1. Esposito M, Grusovin MG, Willings M, Coulthard P, Worthington HV (2007). The effectiveness of immediate, early, and conventional loading of dental implants: a Cochrane systematic review of randomized controlled clinical trials. *Int J Oral Maxillofac Impl* 22(6), 893.
 2. Degidi M, Daprise G, Piattelli A, Carinci F (2007). Evaluation of factors influencing Resonance Frequency Analysis Values, at insertion surgery, of implants placed in sinus-augmented and nongrafted sites. *Clin Impl Dent Rel Res* 9(3), 144-149.
 3. Pommer B, Hof M, Fädler A, Gahleitner A, Watzek G, Watzak G (2012). Primary implant stability in the atrophic sinus floor of human cadaver maxillae: impact of residual ridge height, bone density, and implant diameter. *Clin Oral Impl Res* 25(2), e109-e113
 4. Degidi M, Daprise G, Piattelli A (2012). Primary stability determination by means of insertion torque and RFA in a sample of 4,135 implants. *Clin Impl Dent Rel Res* 14(4), 501-507.
 5. Alsaadi G, Quirynen M, Michiels K, Jacobs R, Van Steenberghe D (2007). A biomechanical assessment of the relation between the oral implant stability at insertion and subjective bone quality assessment. *J Clin Periodontol* 34(4), 359-366.
 6. Walker LR, Morris GA, Novotny PJ (2011). Implant insertional torque values predict outcomes. *J Oral Max Fac Surg* 69(5), 1344-1349.
 7. Cannizzaro, G., Leone, M., Consolo, U., Ferri, V., & Esposito, M. (2008). Immediate functional loading of implants placed with flapless surgery versus conventional implants in partially edentulous patients: a 3-year randomized controlled clinical trial. *International Journal of Oral & Maxillofacial Implants*, 23(5).
 8. Trisi, P., Perfetti, G., Baldoni, E., Berardi, D., Colagiovanni, M., & Scogna, G. (2009). Implant micromotion is related to peak insertion torque and bone density. *Clinical oral implants research*, 20(5), 467-471.
 9. Nkenke, E., Kloss, F., Wilfong, J., Schultze-Mosgau, S., Radespiel-Tröger, M., Loos, K., & Neukam, F. W. (2002). Histomorphometric and fluorescence microscopic analysis of bone remodelling after installation of implants using an osteotome technique. *Clinical oral implants research*, 13(6), 595-602.
 10. Trisi, P., Perfetti, G., Baldoni, E., Berardi, D., Colagiovanni, M., & Scogna, G. (2009). Implant micromotion is related to peak insertion torque and bone density. *Clinical oral implants research*, 20(5), 467-471.
 11. Prendergast, P. J., & Huiskes, R. (1995). The biomechanics of Wolff's law: recent advances. *Irish journal of medical science*, 164(2), 152-154.
 12. Wronski, T. J., Morey, E. R. (1983). Effect of spaceflight on periosteal bone formation in rats. *American journal of physiology-regulatory, integrative and comparative physiology*, 244(3), R305-R309.
 13. Frost, H. M. (2004). A 2003 update of bone physiology and Wolff's Law for clinicians. *The Angle orthodontist*, 74(1), 3-15.

14. Troedhan, A., Schlichting, I., Kurrek, A., & Wainwright, M. (2014). Primary implant stability in augmented sinuslift-sites after completed bone regeneration: a randomized controlled clinical study comparing four subantrally inserted biomaterials. *Scientific reports*, 4.
15. Troedhan AC, Kurrek A, Wainwright M, Jank S (2010). Hydrodynamic ultrasonic sinus floor elevation — An experimental study in sheep. *J Oral Max Fac Surg* 68(5), 1125-1130.
16. Troedhan A, Kurrek A, Wainwright M (2012). Biological principles and physiology of bone regeneration under the Schneiderian Membrane after sinus lift surgery: a radiological study in 14 patients treated with the transcrestal Hydrodynamic Ultrasonic Cavitated Sinus Lift (Intralift). *Int J Dent Article ID 576238*, 12 pp, doi:10.1155/2012/576238.
17. Troedhan A, Kurrek A, Wainwright M, Jank S (2014). Schneiderian Membrane Detachment Using transcrestal Hydrodynamic Ultrasonic Cavitated Sinuslift: A Human Cadaver Head Study and Histology Analysis. *J Oral Max Fac Surg*
18. Troedhan, A., Kurrek, A., Wainwright, M., Schlichting, I., Fischak-Treitl, B., Ladentrog, M. (2013). The transcrestal hydrodynamic ultrasonic cavitated sinuslift: Results of a 2-year prospective multicentre study on 404 patients, 446 sinuslift sites and 637 inserted implants. *Open journal of stomatology*, 3(09), 471-485. doi:10.4236/ojst.2013.39078.
19. Troedhan A., Kurrek A., Wainwright M., Die ultraschallgestützte subperiostale Tunneltechnik. *Dent Implantol* 14, 6, 100 – 106 (2010)
20. Stoetzer M, Felgentraeger D, Kampmann A, Schumann P, Ruecker M, Gellrich NC, See C von: Effects of a new piezoelectric device on periosteal microcirculation after subperiosteal preparation. *Microvasc Res* 94: 114, 2014.
21. Troedhan A, Wainwright M, Kurrek A, Schlichting I: Biomechanical stability of dental implants in augmented maxillary sites: Results of a randomized clinical study with four different biomaterials and PRF and a biological view on guided bone regeneration. *Biomed Res Int* 2015: Article ID 850340, 17pp, 2015.
22. Troedhan A, Kurrek A, Wainwright M: Ultrasonic piezotome surgery: is it a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rd molars. *Open J Stomatol* 01: 179, 2011.
23. Piersanti L, Dilorenzo M, Monaco G, Marchetti C: Piezosurgery or conventional rotatory instruments for inferior third molar extractions? *J Oral Maxillofac Surg* 72: 1647, 2014.
24. Mammoto, A., Connor, K. M., Mammoto, T., Yung, C. W., Huh, D., Aderman, C. M., Ingber, D. E. (2009). A mechanosensitive transcriptional mechanism that controls angiogenesis. *Nature*, 457(7233), 1103-1108.
25. Mach, D. B., Rogers, S. D., Sabino, M. C., Luger, N. M., Schwei, M. J., Pomonis, J. D., ... & Mantyh, P. W. (2002). Origins of skeletal pain: sensory and sympathetic innervation of the mouse femur. *Neuroscience*, 113(1), 155-166.
26. Augustin, G., Antabak, A., Davila, S. (2007). The periosteum. Part 1: anatomy, histology and molecular biology. *Injury*, 38(10), 1115-1130.
27. Ozçelik, D., Turan, T., Kabukcuoglu, F., Ugurlu, K., Öztürk, O., Basak, M., Bankaoglu, M. (2003). Bone induction capacity of the periosteum and neonatal dura in the setting of the rat zygomatic arch fracture model. *Archives of facial plastic surgery*, 5(4), 301-308.
28. Ortak, T., Özdemir, R., Uysal, A., Ulusoy, M. G., Sungur, N., Sahin, B., Sensöz, Ö. (2005). Osteogenic capacities of periost grafts, periost flaps and prefabricated periosteal flaps: experimental study. *Journal of craniofacial surgery*, 16(4), 594-600.
29. Squier, C. A., Ghoneim, S., Kremenak, C. R. (1990). Ultrastructure of the periosteum from membrane bone. *Journal of anatomy*, 171, 233-239.
30. Srouji, S., Kizhner, T., David, D. B., Riminiucci, M., Bianco, P., Livne, E. (2009). The Schneiderian membrane contains osteoprogenitor cells: in vivo and in vitro study. *Calcified tissue international*, 84(2), 138-145.

31. Aaron, J. E. (2012). Periosteal Sharpey's fibers: a novel bone matrix regulatory system?. *Frontiers in endocrinology*, 3, 98. doi:10.3389/fendo.2012.00098
32. Troedhan, A., Kurrek, A., Wainwright, M., & Schlichting, I. (2015). Flapless Piezotome-Enhanced Vertical Alveolar Crest-Split and Horizontal Distraction of Alveolar Crests (FPeCSWT) of Less than 2 mm Width: Results of a Prospective Comparative 3-Year Clinical Multicenter-Study with 239 Patients, 261 Crest-Split Sites and 488 Inserted Dental Implants. *Open Journal of Stomatology*, 5(07), 159.
33. Huja, S. S., Fernandez, S. A., Hill, K. J., Li, Y. (2006). Remodeling dynamics in the alveolar process in skeletally mature dogs. *The anatomical record part A: discoveries in molecular, cellular, and evolutionary biology*, 288(12), 1243-1249.