

## Literaturverzeichnis

### Socket preservation- Weichgewebs- und Knochenkonditionierung Post-Extraktion und Prä-Implantation

**Dr. Thea Lingohr/Köln**

- Dahlin, C., A. Linde, et al. (1988). "Healing of bone defects by guided tissue regeneration." Plastic and Reconstructive Surgery 81(5): 672-6.
- Fiorellini J , Howell T, Cochran D, Malmquist J, Lilly LC, Spagnoli D, Tolijaric j, Jones A, Nevins M, : Randomizes study evaluation rhBMP-2 for extraction socket augmentaion. J Periodontol; 76(4):605-13 (2005)
- Gottlow, J., S. Nyman, et al. (1986). "New attachment formation in the human periodontium by guided tissue regeneration. Case reports." Journal of Clinical Periodontology 13(6): 604-16.
- Götz W, Gerber T, Michel B, Lossdörfer S, Henkel KO, Heinemann F. Immunohistochemical characterization of nanocrystalline hydroxyapatite silica gel (NanoBone(s)) osteogenesis: a study on biopsies from human jaws. Clin Oral Implants Res. 2008 Oct;19(10):1016-26.
- Hämmerle, C. H. and T. Karring (1998). "Guided bone regeneration at oral implant sites." Periodontology 2000 17: 151-75.
- Hämmerle, C. H. and N. P. Lang (2001). "Single stage surgery combining transmucosal implant placement with guided bone regeneration and bioresorbable materials." Clinical Oral Implants Research 12(1): 9-18.
- Hidaka, M., G. N. Su, et al. (2007). "Transplantation of engineered bone tissue using a rotary three-dimensional culture system." In Vitro Cell Dev Biol Anim 43(2): 49-58.
- Johnson, K. (1963). "A study of the dimensional changes occurring in the maxilla following tooth extraction." Australian Dental Journal 14: 241-244.
- Karring, T., S. Nyman, et al. (1993). "Development of the biological concept of guided tissue regeneration--animal and human studies." Periodontology 2000 1: 26-35.
- Lam, R. V. (1960). "Contour changes of the alveolar processes following extraction." J Prosthet Dent 10: 25-32.
- Ophof, R., J. C. Maltha, et al. (2008). "Implantation of tissue-engineered mucosal substitutes in the dog palate." Eur J Orthod 30(1): 1-9.
- Sela, M. N., D. Kohavi, et al. (2003). "Enzymatic degradation of collagen-guided tissue regeneration membranes by periodontal bacteria." Clin Oral Implants Res 14(3): 263-8.
- Steckbein R., Steckbein P. (2006). "Kombinierter Einsatz von Knochenersatzmaterialien mit neuen, antibiotikahaltigen Kollagenmembran", Implantologie Journal 7/2006: 40-44
- Tatakis, D. N., A. Promsudthi, et al. (1999). "Devices for periodontal regeneration." Periodontology 2000 19: 59-73.
- John V, De Poi R, Blanchard S. Socket preservation as a precursor of future implant placement: review of the literature and case reports. Compend Contin Educ Dent 2007;28:646-53; quiz 654, 671.
- McAllister BS, Haghishat K. Bone augmentation techniques. J Periodontol 2007;78:377-96.
- Becker W. Immediate implant placement: diagnosis, treatment planning and treatment steps/or successful outcomes. J Calif Dent Assoc 2005;33:303-10.
- Krause-Parelo CA. Tooth avulsion in the school setting. J Sch Nurs 2005;21:279-82.
- M, Uribe R, Balaguer J. Immediate implants after extraction. A review of the current situation. Med Oral 2004;9:234-42.
- Schmidlin PR, Jung RE, Schug J. Alveolarkammprävention nach Zahnektaktion--eine Literaturübersicht. [Prevention of alveolar ridge resorption after tooth extraction--a review]. Schweiz Monatsschr Zahnmed 2004;114:328-36.
- Tischler M, Misch CE. Extraction site bone grafting in general dentistry. Review of applications and principles. Dent Today 2004;23:108-13.

- Istro A, Difalco P, Carotenuto A. Reimpianto dentale dopo exarticolazione traumatica. Orientamenti terapeutici attuali e prospettive future. [Tooth replantation after traumatic exarticulation. Present therapeutic orientations and future perspectives]. *Minerva Stomatol* 2003;52:289-300.
- Bartee BK. Extraction site reconstruction for alveolar ridge preservation. Part 1: rationale and materials selection. *J Oral Implantol* 2001;27:187-93.
- Ashman A. Postextraction ridge preservation using a synthetic alloplast. *Implant Dent* 2000;9:168-76.
- M. Protocol for treating the avulsed tooth. *J Calif Dent Assoc* 1996;24:43-9.
- Cohen ES. Ridge enhancement and socket preservation utilizing the subepithelial connective tissue graft: a case report. *Pract Periodontics Aesthet Dent* 1995;7:53-8; quiz 60.
- Barzilay I. Immediate implants: their current status. *Int J Prosthodont* 1993;6:169-75.
- Tsukiboshi M. Autogenous tooth transplantation: a reevaluation. *Int J Periodontics Restorative Dent* 1993;13:120-49.
- Dies F, Etienne D, Abboud NB, Ouhayoun JP: Bone regeneration in extraction sites after immediate placement of an e-PTFE membrane with or without a biomaterial. A report on 12 consecutive cases. *Clin Oral Implants Res* 1996;7:277-285
- Wiesen M, Kitzis R: Preservation of the alveolar ridge at implant sites. *Periodontal Clin Investig* 1998;20:17-20
- Yang J, Lee HM, Vernino A: Ridge preservation of dentition with severe periodontitis. *Compend Contin Educ Dent* 2000;21:579-583
- Becker W, Clokie C, Sennerby L, Urist MR, Becker BE: Histologic findings after implantation and evaluation of different grafting materials and titanium micro screws into extraction sockets: case reports. *J Periodontol* 1998;69:414-421
- Darby I, Chen ST, Buser D: Ridge preservation techniques for implant therapy. *Int J Oral Maxillofac Implants* 2009;24 Suppl:260-271
- Araujo MG, Lindhe J: Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *J Clin Periodontol* 2005;32:212-218
- Allegrini S, Jr., Koening B, Jr., Allegrini MR, Yoshimoto M, Gedrange T, Fanghaenel J, Lipski M. Alveolar ridge sockets preservation with bone grafting--review. *Ann Acad Med Stetin* 2008;54:70-81.
- Ophof R, Maltha JC, Kuijpers-Jagtman AM, Von den Hoff JW. Implantation of tissue-engineered mucosal substitutes in the dog palate. *Eur J Orthod* 2008;30:1-9.
- Rothamel D, Schwarz F, Herten M, Engelhardt E, Donath K, Kuehn P, Becker J. Dimensional ridge alterations following socket preservation using a nanocrystalline hydroxyapatite paste: a histomorphometrical study in dogs. *Int J Oral Maxillofac Surg* 2008;37:741-7.
- Fiorellini JP, Kim DM, Nakajima Y, Weber HP. Osseointegration of titanium implants following guided bone regeneration using expanded polytetrafluoroethylene membrane and various bone fillers. *Int J Periodontics Restorative Dent* 2007;27:287-94.
- Hidaka M, Su GN, Chen JK, Mukaisho K, Hattori T, Yamamoto G. Transplantation of engineered bone tissue using a rotary three-dimensional culture system. *In Vitro Cell Dev Biol Anim* 2007;43:49-58.
- John V, De Poi R, Blanchard S. Socket preservation as a precursor of future implant placement: review of the literature and case reports. *Compend Contin Educ Dent* 2007;28:646-53; quiz 654, 671.
- Araujo MG, Wennstrom JL, Lindhe J. Modeling of the buccal and lingual bone walls of fresh extraction sites following implant installation. *Clin Oral Implants Res* 2006;17:606-14.
- Scheer M, Breuer K, Neugebauer J, Zöller JE. Behandlung gerinnungsgestörter Patienten in der zahnärztlichen Praxis. *ZM* 2006;96:38-44.
- Fiorellini JP, Howell TH, Cochran D, Malmquist J, Lilly LC, Spagnoli D, Toljanic J, Jones A, Nevins M. Randomized study evaluating recombinant human bone morphogenetic protein-2 for extraction socket augmentation. *J Periodontol* 2005;76:605-13.
- Rothamel D, Schwarz F, Sager M, Herten M, Sculean A, Becker J. Biodegradation of differently cross-linked collagen membranes: an experimental study in the rat. *Clin Oral Implants Res* 2005;16:369-78.

- Schonauer C, Tessitore E, Barbagallo G, Albanese V, Moraci A. The use of local agents: bone wax, gelatin, collagen, oxidized cellulose. *Eur Spine J* 2004;13 Suppl 1:S89-96.
- Schropp L, Wenzel A, Kostopoulos L, Karring T. Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. *Int J Periodontics Restorative Dent* 2003;23:313-23.
- Sela MN, Kohavi D, Krausz E, Steinberg D, Rosen G. Enzymatic degradation of collagen-guided tissue regeneration membranes by periodontal bacteria. *Clin Oral Implants Res* 2003;14:263-8.
- Tarnow DP, Magner AW, Fletcher P: The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *J Periodontol* 1992;63:995-996
- Devlin H. Early bone healing events following rat molar tooth extraction. *Cells Tissues Organs* 2000;167:33-7.
- Smith KJ, Skelton HG, Barrett TL, Welch M, Beard J. Histologic and immunohistochemical features in biopsy sites in which bovine collagen matrix was used for hemostasis. *J Am Acad Dermatol* 1996;34:434-8.
- Weibert RT. Oral anticoagulant therapy in patients undergoing dental surgery. *Clin Pharm* 1992;11:857-64.
- Dehen M, Niederdellmann H, Lachner J. Zur Beurteilung der hamostyptischen Eigenschaft eines Kollagenpräparates. [Evaluation of the hemostytic properties of a collagen preparation]. *Dtsch Zahnärztl Z* 1990;45:400-2.
- Haasch GC, Gerstein H, Austin BP. Effects of two hemostatic agents on osseous healing. *J Endod* 1989;15:310-4.
- Blanche C, Chaux A. The use of absorbable microfibrillation collagen to control sternal bone marrow bleeding. *Int Surg* 1988;73:42-3.
- Harris WH, Crothers OD, Moyen BJ, Bourne RB. Topical hemostatic agents for bone bleeding in humans. A quantitative comparison of gelatin paste, gelatin sponge plus bovine thrombin, and microfibrillar collagen. *J Bone Joint Surg Am* 1978;60:454-6.
- Pietrovski J. Healing of the socket following tooth extraction. *Alpha Omega* 1967;60:126