Ausgabe: KN 9-2016, S. 17f..

Thema: Die beschleunigte Zahnbewegung in der Anwendung und Erstattung

Autoren: RA Michael Zach

Literatur zum Thema

Clinical Studies

1. Bowman, S.J., 2014. The effect of vibration on the rate of leveling and alignment. *Journal of clinical orthodontics*, 48(11), pp. 678-688.

- 2. Kau, C.H., 2011. A radiographic analysis of tooth morphology following the use of a novel cyclical force device in orthodontics. *Head & Face Medicine*, 7(14), pp. 1-5.
- 3. Kau, C.H., Nguyen, J.T., and English, J.D., 2010. The clinical evaluation of a novel cyclical force generating device in orthodontics. *Orthodontic Practice US*, 1(1), pp.10-15.
- 4. Leethanakul, C., Suamphan, S., Jitpukdeebodintra, S., Thongudomporn, U., and Charoemratrote, C., 2016. Vibratory stimulation increases interleukin-1 beta secretion during orthodontic tooth movement. *The Angle Orthodontist*, 86(1), pp. 74-80.
- Ojima,K., Dan C., Nishiyama R., Ohtsuka S., Schupp W., 2014. Accelerated Extraction Treatment with Invisalign.
 Journal of clinical orthodontics: JCO, 48(8), pp. 487 -499.
- 6. Lobre, W.D., Callegari, B.J., Gardner, G., Marsh, C.M., Bush, A.C., and Dunn, W.J., 2015. Pain control in orthodontics using a micropulse vibration device: A randomized clinical trial. *The Angle Orthodontist*, in press.
- 7. Orton-Gibbs, S., and Kim, N.Y., 2015. Clinical experience with the use of pulsatile forces to accelerate treatment. *Journal of clinical orthodontics: JCO*, 49(9), pp. 557-573.
- 8. Pavlin, D., Anthony, R., Raj, V., and Gakunga, P.T., 2015. Cyclic loading (vibration) accelerates tooth movement in orthodontic patients: A double-blind, randomized controlled trial. *Seminars in Orthodontics*, 21(3), pp. 187-194.

Case Reports

- 1. Kau C.H., 2009. A Novel Device in Orthodontics. Aesthetic Dentistry Today, 3(6), pp. 42-43.
- 2. Shapiro, E., Roeber, F.W., and Klempner, L.S, 1979. Orthodontic movement using pulsating force-induced piezoelectricity. *American Journal of Orthodontics*, 76(1), pp. 59-66.
- 3. Uribe, F., Agarwal, S., Shafer, D., and Nanda, R., 2015. Increasing orthodontic and orthognathic surgery treatment efficiency with a modified surgery-first approach. *American Journal of Orthodontics and Dentofacial Orthopedics*, 148(5), pp. 838-848.

In Vivo Studies

- 1. Al-Mubarak, R., Da Silveira, A., and Mao, J.J., 2005. Expression and mechanical modulation of matrix metalloproteinase-1 and-2 genes in facial and cranial sutures. *Cell and tissue research*, 321(3), pp. 465-471.
- 2. Collins, J.M., Ramamoorthy, K., Da Silveira, A., Patston, P., and Mao, J.J., 2005. Expression of matrix metalloproteinase genes in the rat intramembranous bone during postnatal growth and upon mechanical stresses. *Journal of Biomechanics*, 38(3), pp. 485-492.
- 3. Darendeliler, M.A., Zea, A., Shen, G., and Zoellner, H., 2007. Effects of pulsed electromagnetic field vibration on tooth movement induced by magnetic and mechanical forces: a preliminary study. *Australian Dental Journal*, 52(4), pp. 282-287.

- 4. Kopher, R.A., and Mao, J.J., 2003. Suture growth modulated by the oscillatory component of micromechanical strain. *Journal of Bone and Mineral Research*, 18(3), pp. 521-528.
- 5. Liu, D., 2010. Acceleration of Orthodontic Tooth Movement by Mechanical Vibration. Presented in *AADR Annual Meeting*. Washington, DC.
- 6. Nishimura, M., Chiba, M., Ohashi, T., Sato, M., Shimizu, Y., Igarashi, K., and Mitani, H., 2008. Periodontal tissue activation by vibration: intermittent stimulation by resonance vibration accelerates experimental tooth movement in rats. *American Journal of Orthodontics and Dentofacial Orthopedics*, 133(4), pp. 572-583.
- 7. Peptan, A.I., Lopez, A., Kopher, R.A., and Mao, J.J., 2008. Responses of intramembranous bone and sutures upon in vivo cyclic tensile and compressive loading. *Bone*, 42(2), pp. 432-438.
- 8. Shimizu Y., 1986. Movement of the lateral incisors in Macaca fuscata as loaded by a vibrating force. *Nihon Kyosei Shika Gakkai Zasshi*, 45(1), pp. 56-72.
- 9. Vij, K., and Mao, J.J., 2006. Geometry and cell density of rat craniofacial sutures during early postnatal development and upon in vivo cyclic loading. *Bone*, 38(5), pp. 722-730.

In Vitro Studies

- 1. García-López, S., Villanueva, R., and Meikle, M.C., 2015. The effects of gentle micropulse vibration on two types of murine osteoblasts. Paper presented at the *2015 Annual Session May 15-19*, AAO, San Francisco, CA.
- 2. Lau, E., Al-Dujaili, S., Guenther, A., Liu, D., Wang, L., and You, L., 2010. Effect of low-magnitude, high-frequency vibration on osteocytes in the regulation of osteoclasts. *Bone*, 46(6), pp. 1508-1515.