

## LITERATUR

**Ausgabe:** Implantologie Journal 7+8/2016

**Thema:** Reversibel verschraubtes Keramikimplantat im ästhetischen Frontzahnbereich

**Autor:** Dr. Jens Tartsch

---

1. Patientenumfrage Firma Straumann, Archivdaten.
2. Pettersson M, Kelk P, Belibasakis GN, Bylund D, Molin Thoren M, Johansson A. Titanium ions form particles that activate and execute interleukin-1b release from lipopolysaccharide-primed macrophages. *J Periodont Res* 2016; doi:10.1111/jre.12364.
3. Fei Yu<sup>1</sup>, Owen Addison<sup>2</sup>, Stephen J Baker<sup>3</sup> and Alison J Davenport<sup>1</sup> Lipopolysaccharide inhibits or accelerates biomedical titanium corrosion depending on environmental acidity *International Journal of Oral Science* (2015) 7, 179–186.
4. Foti B, Tavitian P, Tosello A, Bonfil JJ, Franquin JC. Polymetallism and osseointegration in oral implantology: pilot study on primate. *J Oral Rehabil.* 1999 Jun; 26(6):495-502.
5. Olmedo D, Deborah R. Tasat, Pablo Evelson, María B. Guglielmotti and Rómulo L. Cabrini Biological response of tissues with macrophagic activity to titanium dioxide *Journal of Biomedical Materials Research Part A* Volume 84A, Issue 4, pages 1087–1093, 15 March 2008.
6. Harloff T, Höhne W, Holzwarth U, Bader R Titanium allergy or not? “Impurity” of titanium implant materials Vol.2, No.4, 306-310 (2010) *Health* doi:10.4236/health.2010.24045.
7. Jacobi-Gresser E, K. Huesker, S. Schütt Genetic and immunological markers predict titanium implant failure: a retrospective study *Int J Oral Maxillofac Surg.* 2013 Apr; 42(4):537-43.
8. Oliva J, Oliva X, Oliva JD. Five-year success rate of 831 consecutively placed Zirconia dental implants in humans: a comparison of three different rough surfaces. *Int J Oral Maxillofac Implants.* 2010 Mar-Apr;25(2):336-44.
9. Metoxit AG, Thayngen, Schweiz. Datenblatt nach DIN EN 60 672.
10. Hashim D, Cionca N., Courvoisier D., Mombelli A. A systematic review of the clinical survival of zirconia implants *Clin Oral Invest* May 2016.
11. Chevalier J., Loh J. et.al. Low Temperature Degradation in Zirconia with porous Surface *Acta Biomater* 2011;7:2986-2993.

12. Kohal, R. et al. Was wissen wir über Implantate aus Zirkonoxid? *Implantologie* 2014; 22(1):9-36.
13. Bosshardt D., Buser D., Saulacic N. et.al. Acid and alkaline etching of sandblasted zirconia implants a histomorphometric study in miniature pigs *Clinical Implant Dentistry and Related Research*, 2013.
14. Chappuis V, Cavusoglu Y, Gruber R, Kuchler U, Buser D, Bosshardt DD Osseointegration of zirconia and titanium implants in the presence of multinucleated giant cells *Clinical Implant Dentistry and Related Research*, Volume \*, Number \*, 2015.
15. Jung. R, Sailer I. et al. In vitro color changes of soft tissues caused by restorative materials *Int. J. of Period. and Rest. Dent.* Vol. 27, No. 3, 2007.
16. Brodbeck UB The ZiReal Post: A new ceramic implant abutment *J Esthet Restor Dent* 2003;15(1): 10-23.
17. Stimmelmayr M, Edelhoff D et al. Wear at the titanium-titanium and the titanium-zirconia implant-abutment interface *Dent Mater.* 2012 Dec; 28(12):1215-20.
18. Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial Adhesion on Commercially Pure Titanium and Zirconium Oxide Disks: An In Vivo Human Study *J Periodontol* 2004;75:292-296.
19. Ichikawa Y, Akagawa Y, Nikai H, Tsuru H. Tissue compatibility and stability of a new zirconia ceramic in vivo *J Prosthet Dent* 1992;68:322-326.
20. Kajiwara N. et al. Soft Tissue Biological Response to Zirconia and metal implant abutments *Implant Dentistry*, Vol. 24, No. 1/2015.
21. Vindasiute E, Linkevicius T. et al. Clinical Factors Influencing Removal of the Cement Excess in Implant-Supported Restorations *Clin Implant Dent Relat Res.* 2013 Nov 14.
22. Igihaut G, Schliephake H Weichgewebemanagement und – augmentation in der Implantatchirurgie. 2010, *Dtsch Zahnarztl Z* 65(6):304-318.
23. Maier, H.R.: Leitfaden Technischen Keramik; Werkstoffkunde II, Keramik. Selbstverlag Institut für keramische Komponenten im Maschinenbau, 2. Auflage, Aachen 1991.
24. Brodbeck UB The ZiReal Post: A new ceramic implant abutment *J Esthet Restor Dent* 2003;15(1): 10-23.
25. Derks J. et al. Effectiveness of implant therapy analyzed in a Swedish population: early and late implant loss *J Dent Res.* 2015 Mar; 94(3 Suppl): 44S-51S.
26. Buser D, Belser U. 3. ITI Konsensuskonferenz 2003, Konsensuserklärung B.5 ITI Treatment Guide Band 1, Quintessenz Verlags GmbH 2007.

27. Buser D, Martin W., Belser U Optimizing Esthetics for Implant Restorations in the Anterior Maxilla: Anatomic and Surgical Considerations Int J Oral Maxillofac Implants 2004;19(SUPPL):43–61.