

## LITERATUR

**Ausgabe:** Implantologie Journal 7+8/2016

**Thema:** Differentialanwendung von Implantatplattformen  
Die Weiterentwicklung des Implantatsystemkonzeptes

**Autoren:** Prof. Dr.med. Dr.med.dent. Florian G. Draenert

---

1. Broggini, N., L. M. McManus, J. S. Hermann, R. U. Medina, T. W. Oates, R. K. Schenk, D. Buser, J. T. Mellonig and D. L. Cochran (2003). "Persistent acute inflammation at the implant-abutment interface." *J Dent Res* 82(3): 232-237.
2. Lopez-Mari, L., J. L. Calvo-Guirado, B. Martin-Castellote, G. Gomez-Moreno and M. Lopez-Mari (2009). "Implant platform switching concept: an updated review." *Med Oral Patol Oral Cir Bucal* 14(9): e450-454.
3. Kielbassa, A. M., R. Martinez-de Fuentes, M. Goldstein, C. Arnhart, A. Barlattani, J. Jackowski, M. Knauf, M. Lorenzoni, C. Maiorana, R. Mericske-Stern, E. Rompen and M. Sanz (2009). "Randomized controlled trial comparing a variable-thread novel tapered and a standard tapered implant: interim one-year results." *J Prosthet Dent* 101(5): 293-305.
4. Noelken, R., M. Donati, J. Fiorellini, N. C. Gellrich, W. Parker, K. Wada and T. Berglundh (2012). "Soft and hard tissue alterations around implants placed in an alveolar ridge with a sloped configuration." *Clinical Oral Implants Research*.
5. Draenert, F. G., D. Huetzen, A. Neff and W. E. Mueller (2014). "Vertical bone augmentation procedures: basics and techniques in dental implantology." *Journal of Biomedical Materials Research Part A* 102(5): 1605-1613.
6. Draenert, F. G. K., P.W.; Berthold, M.; Neff, A. (2016). "Complications with allogeneic, cancellous bone blocks in vertical alveolar ridge augmentation: prospective clinical case study and review of the literature." *Oral Surg Oral Med Oral Pathol Oral Radiol Endodontol* 121(1): 10-16.
7. Mattsson, T., P. Å. Köndell, G. W. Gynther, U. Fredholm and A. Bolin (1999). "Implant treatment without bone grafting in severely resorbed edentulous maxillae." *Journal of Oral and Maxillofacial Surgery* 57(3): 281-287.
8. Malo, P., B. Rangert and M. Nobre (2005). "All-on-4 immediate-function concept with Branemark System implants for completely edentulous maxillae: a 1-year retrospective clinical study." *Clinical Implant Dentistry and Related Research* 7 Suppl 1: S88-94.