

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 3/17

Thema: Amalgamersatz im Seitenzahnbereich mit einer Ormocer-Kombination

Autor: Prof. Dr. Jürgen Manhart

Literatur

1. Kunzelmann, K.H., *Komposite – komplexe Wunder moderner Dentaltechnologie. Teil 1: Füllkörpertechnologie*. Ästhetische Zahnmedizin, 2007. **10**(3): p. 14-24.
2. Kunzelmann, K.H., *Komposite – komplexe Wunder moderner Dentaltechnologie. Teil 2: Matrixchemie*. Ästhetische Zahnmedizin, 2008. **11**(1): p. 22-35.
3. Ferracane, J.L., *Resin composite - state of the art*. Dent Mater, 2011. **27**(1): p. 29-38.
4. Manhart, J., *Charakterisierung direkter zahnärztlicher Füllungsmaterialien für den Seitenzahnbereich. Alternativen zum Amalgam?* Quintessenz, 2006. **57**(5): p. 465-481.
5. Vanini, L., *Light and color in anterior composite restorations*. Pract Periodontics Aesthet Dent, 1996. **8**(7): p. 673-682.
6. Ardu, S., et al., *Influence of water sorption on resin composite color and color variation amongst various composite brands with identical shade code: an in vitro evaluation*. J Dent, 2011. **39** Suppl 1: p. e37-44.
7. Manhart, J., *Direkte Kompositrestauration: Frontzahnästhetik in Perfektion*. ZWP Zahnarzt-Wirtschaft-Praxis, 2009. **15**(10): p. 42-50.
8. Manhart, J. and R. Hickel, *"Bulk Fill"-Komposite. Neuartige Einsatztechnik von Kompositen im Seitenzahnbereich*. Swiss Dental Journal, 2014. **124**(1): p. 19-28.
9. Manhart, J., *Bulk-fill composites for posterior restorations*. Inside Dentistry, 2015. **11**(3): p. 58-65.
10. Lenhard, M., *Bulk-Fill-Komposite - der schnelle Weg zur Restauration?* Quintessenz, 2015. **66**(8): p. 879-895.
11. Manhart, J., *Muss es immer Kaviar sein? – Die Frage nach dem Aufwand für Komposite im Seitenzahnbereich*. ZMK, 2011. **27**(Sonderausgabe März 2011): p. 10-15.
12. Christensen, G.J., *Advantages and Challenges of Bulk-Fill Resins*. Clinicians Report, 2012. **5**(1): p. 1-2.
13. Noack, M.J., *Wirtschaftliche Füllungstechnik. Warum und womit?* ZWR Das Deutsche Zahnärzteblatt, 2013. **122**(3): p. 86-94.
14. Margeas, R.C., *Bulk-Fill Materials: Simplify Restorations, Reduce Chairtime*. Compend Contin Educ Dent, 2015. **36**(1): p. e1-e4.
15. Czasch, P. and N. Ilie, *In vitro comparison of mechanical properties and degree of cure of bulk fill composites*. Clin Oral Investig, 2013. **17**(1): p. 227-235.
16. Ilie, N. and B. Stawarczyk, *Bulk-Fill-Komposite: neue Entwicklungen oder doch herkömmliche Komposite?* ZMK, 2014. **30**(3): p. 90-97.
17. Li, X., et al., *Curing profile of bulk-fill resin-based composites*. J Dent, 2015. **43**(6): p. 664-72.
18. Zorzin, J., et al., *Bulk-fill resin composites: polymerization properties and extended light curing*. Dent Mater, 2015. **31**(3): p. 293-301.
19. El-Damanhoury, H. and J. Platt, *Polymerization Shrinkage Stress Kinetics and Related Properties of Bulk-fill Resin Composites*. Oper Dent, 2014. **39**(4): p. 374-82.
20. Peutzfeldt, A., *Resin composites in dentistry: the monomer systems*. Eur J Oral Sci, 1997. **105**(2): p. 97-116.
21. Guggenberger, R. and W. Weinmann, *Exploring beyond methacrylates*. American Journal of Dentistry, 2000. **13**(Special Issue): p. 82-84.
22. Weinmann, W., C. Thalacker, and R. Guggenberger, *Siloranones in dental composites*. Dent Mater, 2005. **21**(1): p. 68-74.
23. Lien, W. and K.S. Vandewalle, *Physical properties of a new silorane-based restorative system*. Dent Mater, 2010. **26**(4): p. 337-44.
24. Ilie, N. and R. Hickel, *Silorane-based dental composite: behavior and abilities*. Dent Mater J, 2006. **25**(3): p. 445-54.
25. Ilie, N. and R. Hickel, *Macro-, micro- and nano-mechanical investigations on silorane and methacrylate-based composites*. Dent Mater, 2009. **25**(6): p. 810-9.

26. Zimmerli, B., et al., *Composite materials: composition, properties and clinical applications. A literature review*. Schweiz Monatsschr Zahnmed, 2010. **120**(11): p. 972-86.
27. Manhart, J., et al., *Randqualität von Ormocer- und Kompositfüllungen in Klasse-II-Kavitäten nach künstlicher Alterung*. Deutsche Zahnärztliche Zeitschrift, 1999. **54**: p. 89-95.
28. Wolter, H. and W. Storch, *Neuartige Silanklasse - Werkstoffe für Formkörper*. ISC-Tätigkeitsbericht 1992, 1992: p. 61-72.
29. Wolter, H., W. Storch, and H. Ott, *Dental filling materials (posterior composites) based on inorganic/organic copolymers (ORMOCERs)*. MACRO AKRON, 1994(35th IUPAC, International Symposium on Macromolecules, Ohio, Proceedings): p. 503.
30. Wolter, H., W. Storch, and H. Ott, *New inorganic/organic copolymers (ORMOCERs) for dental applications*. Materials Research Society Symposia Proceedings, 1994. **346**(Mat. Res. Soc. Symp. Proc.): p. 143-149.
31. Wolter, H., *Kompakte Ormocere und Ormocer-Komposite*. Fraunhofer-Institut für Silikatforschung (ISC) - Tätigkeitsbericht 1995, 1995: p. 56-63.
32. Wolter, H., et al., *Neue biokompatible Dentalwerkstoffe auf Ormocer-Basis*, in *Tagungsband Werkstoffwoche 1998, Band 4, Symposium 4: Werkstoffe für die Medizintechnik*, H. Planck and H. Stallforth, Editors. 1998, Wiley VCH: Weinheim. p. 245-248.
33. Manhart, J., et al., *Mechanical properties and wear behavior of light-cured packable composite resins*. Dental Materials, 2000. **16**: p. 33-40.
34. Hickel, R., et al., *New direct restorative materials. FDI Commission Project*. Int Dent J, 1998. **48**(1): p. 3-16.
35. Greiwe, K. and G. Schottner, *ORMOCERe: Eine neue Werkstoffklasse*. FhG-Berichte, 1990. **2**: p. 64-67.
36. Moszner, N., et al., *Sol-Gel Materials, 1. Synthesis and Hydrolytic Condensation of New Cross-Linking Alkoxysilane Methacrylates and Light-Curing Composites Based upon the Condensates*. Macromol Mater Eng, 2002. **287**(5): p. 339-347.
37. Moszner, N., et al., *Sol-gel materials 2. Light-curing dental composites based on ormocers of cross-linking alkoxysilane methacrylates and further nano-components*. Dent Mater, 2008. **24**(6): p. 851-6.
38. Wolter, H., *Werkstoffe mit Biss. Teil I: Ormocere*. DZW Die Zahnarzt Woche, 2015. **Ausgabe 11/15**: p. 10-11.
39. Ilie, N. and R. Hickel, *Resin composite restorative materials*. Aust Dent J, 2011. **56 Suppl 1**: p. 59-66.
40. Frankenberger, R., et al., *Internal adaptation and overhang formation of direct class II resin composite restorations*. Clinical Oral Investigations, 1999. **3**: p. 208-215.
41. Braga, R.R., T.J. Hilton, and J.L. Ferracane, *Contraction stress of flowable composite materials and their efficacy as stress-relieving layers*. J Am Dent Assoc, 2003. **134**(6): p. 721-8.
42. Kwon, Y., J. Ferracane, and I.B. Lee, *Effect of layering methods, composite type, and flowable liner on the polymerization shrinkage stress of light cured composites*. Dent Mater, 2012. **28**(7): p. 801-9.
43. Braga, R.R. and J.L. Ferracane, *Alternatives in polymerization contraction stress management*. Crit Rev Oral Biol Med 2004. **15**(3): p. 176-184.
44. Chuang, S.F., et al., *Influence of flowable composite lining thickness on Class II composite restorations*. Oper Dent, 2004. **29**(3): p. 301-308.
45. Lokhande, N.A., et al., *Effectiveness of flowable resin composite in reducing microleakage - an in vitro study*. J Int Oral Health, 2014. **6**(3): p. 111-4.
46. Unlu, N., et al., *Reducing microleakage in composite resin restorations: an in vitro study*. Eur J Prosthodont Restor Dent, 2003. **11**(4): p. 171-175.
47. Sadeghi, M., *Influence of flowable materials on microleakage of nanofilled and hybrid Class II composite restorations with LED and QTH LCUs*. Indian J Dent Res, 2009. **20**(2): p. 159-63.
48. Sadeghi, M. and C.D. Lynch, *The effect of flowable materials on the microleakage of Class II composite restorations that extend apical to the cemento-enamel junction*. Oper Dent, 2009. **34**(3): p. 306-11.
49. Reddy, S.N., et al., *The effect of flowable composite lining thickness with various curing techniques on microleakage in class II composite restorations: an in vitro study*. J Contemp Dent Pract, 2013. **14**(1): p. 56-60.
50. Haak, R., M.J. Wicht, and M.J. Noack, *Marginal and internal adaptation of extended class I restorations lined with flowable composites*. J Dent, 2003. **31**(4): p. 231-239.
51. Tung, F.F., W.W. Hsieh, and D. Estafan, *In vitro microleakage study of a condensable and flowable composite resin*. Gen Dent, 2000. **48**(6): p. 711-5.
52. Tung, F.F., D. Estafan, and W. Scherer, *Microleakage of a condensable resin composite: an in vitro investigation*. Quintessence Int, 2000. **31**(6): p. 430-434.

53. Belli, S., et al., *The effect of additional enamel etching and a flowable composite to the interfacial integrity of Class II adhesive composite restorations*. Oper Dent, 2001. **26**(1): p. 70-75.
54. Ernst, C.P., et al., *Two-year clinical performance of a packable posterior composite with and without a flowable composite liner*. Clin Oral Investig, 2003. **7**(3): p. 129-34.
55. van Dijken, J.W. and U. Pallesen, *Clinical performance of a hybrid resin composite with and without an intermediate layer of flowable resin composite: a 7-year evaluation*. Dent Mater, 2011. **27**(2): p. 150-6.
56. Stefanski, S. and J.W. van Dijken, *Clinical performance of a nanofilled resin composite with and without an intermediary layer of flowable composite: a 2-year evaluation*. Clin Oral Investig, 2012. **16**(1): p. 147-53.
57. Efes, B.G., et al., *Two-year clinical evaluation of ormocer and nanofill composite with and without a flowable liner*. J Adhes Dent, 2006. **8**(2): p. 119-26.
58. Boeckler, A., H.G. Schaller, and C.R. Gernhardt, *A prospective, double-blind, randomized clinical trial of a one-step, self-etch adhesive with and without an intermediary layer of a flowable composite: a 2-year evaluation*. Quintessence Int, 2012. **43**(4): p. 279-86.
59. Browning, W.D., et al., *Performance of 2 packable composites at 12 months*. Quintessence Int, 2006. **37**(5): p. 361-8.
60. Ernst, C.P., et al., *Clinical performance of resin composite restorations after 2 years*. Compend Contin Educ Dent, 2002. **23**(8): p. 711-7, 720.
61. Da Rosa Rodolpho, P.A., et al., *22-Year clinical evaluation of the performance of two posterior composites with different filler characteristics*. Dent Mater, 2011. **27**(10): p. 955-63.
62. van de Sande, F.H., et al., *18-year survival of posterior composite resin restorations with and without glass ionomer cement as base*. Dent Mater, 2015. **31**(6): p. 669-75.
63. Manhart, J., et al., *Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition*. Oper Dent, 2004. **29**(5): p. 481-508.
64. Heintze, S.D. and V. Rousson, *Clinical effectiveness of direct class II restorations - a meta-analysis*. J Adhes Dent, 2012. **14**(5): p. 407-31.
65. Opdam, N.J., et al., *Longevity of posterior composite restorations: a systematic review and meta-analysis*. J Dent Res, 2014. **93**(10): p. 943-9.
66. Opdam, N.J., et al., *12-year survival of composite vs. amalgam restorations*. J Dent Res, 2010. **89**(10): p. 1063-7.
67. Pallesen, U. and J.W. van Dijken, *A randomized controlled 30 years follow up of three conventional resin composites in Class II restorations*. Dent Mater, 2015. **31**(10): p. 1232-44.
68. Pallesen, U. and J.W. van Dijken, *A randomized controlled 27 years follow up of three resin composites in Class II restorations*. J Dent, 2015. **43**(12): p. 1547-58.