

Ausgabe: face 4/2016

Thema: Teil II: Die tubuläre Brust – Behandlungskonzepte

Autoren: Dr. med. Benjamin Gehl, Dr. med. Stefan Gärner, Priv.-Doz. Dr. med. Artur Wörseg

Literatur

1. von Heimburg et. Al, Refined Version oft he Tuberos Breast Classification. Plastic and Reconstructive Surgery. 105(5):2269, May 2000.
2. von Heimburg D, Exner K, Kruft S, Lemperle G. The tuberous breast deformity: Classification and treatment. Br J Plast Surg. 1996;49:339–345.
3. Grolleau JL, Lanfrey E, Lavigne B, Chavoïn JP, Costagliola M. Breast base anomalies: Treatment strategy for tuberous breasts, minor deformities, and asymmetry. Plast Reconstr Surg. 1999;104:2040–2048.
4. Costagliola M, Atiyeh B, Rampillon F. Tuberous breast: Revised classification and a new hypothesis for its development. Aesthetic Plast Surg. 2013;37:896–903.
5. Meara JG, Kolker A, Bartlett G, Theile R, Mutimer K, Holmes AD. Tuberous breast deformity: Principles and practice. Ann Plast Surg. 2000;45:607–611.
6. Pusic AL, Klassen AF, Scott AM, Klok JA, Cordeiro PG, Cano SJ. Development of a new patient-reported outcome measure for breast surgery: The BREAST-Q. Plast Reconstr Surg. 2009;124:345–353.
7. Memorial Sloan Kettering Cancer Center. The BREAST-Q. Available at: <http://www.breast-q.org>. Accessed February 15, 2014.
8. Tebbetts JB. Dual plane breast augmentation: Optimizing implant-soft-tissue relationships in a wide range of breast types. Plast Reconstr Surg. 2001;107:1255–1272.
9. Tebbetts JB. Dual plane breast augmentation: Optimizing implant-soft-tissue relationships in a wide range of breast types. Plast Reconstr Surg. 2006;118(Suppl):81S–98S; discussion 99S–102S.
10. Mandrekas AD, Zambacos GJ, Anastasopoulos A, Hapsas D, Lambrinaki N, Ioannidou-Mouzaka L. Aesthetic reconstruction of the tuberous breast deformity. Plast Reconstr Surg. 2003;112:1099–1108; discussion 1109.
11. Pacifico MD, Kang NV. The tuberous breast revisited. J Plast Reconstr Aesthet Surg. 2007;60:455–464.
12. Mandrekas AD, Zambacos GJ. Aesthetic reconstruction of the tuberous breast deformity: A 10-year experience. Aesthet Surg J. 2010;30:680–692.

13. DeLuca-Pytell DM, Piazza RC, Holding JC, Snyder N, Hunsicker LM, Phillips LG. The incidence of tuberous breast deformity in asymmetric and symmetric mammoplasty patients. *Plast Reconstr Surg.* 2005;116:1894–1899; discussion 1900.
14. Rees TD, Aston SJ. The tuberous breast. *Clin Plast Surg.* 1976;3:339–347.
15. Panchapakesan V, Brown MH. Management of tuberous breast deformity with anatomic cohesive silicone gel breast implants. *Aesthetic Plast Surg.* 2009;33:49–53.
16. Atiyeh BS, Hashim HA, El-Douaihy Y, Kayle DI. Perinipple round-block technique for correction of tuberous/tubular breast deformity. *Aesthetic Plast Surg.* 1998;22:284–288. Fig. 13. Tuberous breast correction. (Above) Preoperative views of a 22-year-old patient with bilateral type II tuberous breast deformity. (Below) Postoperative views of a good result at 18 months after one-stage correction with bilateral circumareolar mastopexy and placement of Allergan style 15-304 (304 cc) (right breast) and 15-339 (339 cc) (left breast) silicone smooth round implants. *86 Plastic and Reconstructive Surgery • January 2015*
17. Stevens WG, Nahabedian MY, Calobrace MB, et al. Risk factor analysis for capsular contracture: A 5-year Sientra study analysis using round, smooth, and textured implants for breast augmentation. *Plast Reconstr Surg.* 2013;132:1115–1123.
18. Vazquez B, Given KS, Houston GC. Breast augmentation: A review of subglandular and submuscular implantation. *Aesthetic Plast Surg.* 1987;11:101–105.
19. Henriksen TF, Fryzek JP, Hölmich LR, et al. Surgical intervention and capsular contracture after breast augmentation: A prospective study of risk factors. *Ann Plast Surg.* 2005;54:343–351.
20. Biggs TM, Yarish RS. Augmentation mammoplasty: A comparative analysis. *Plast Reconstr Surg.* 1990;85:368–372.
21. Codner MA, Mejia JD, Locke MB, et al. A 15-year experience with primary breast augmentation. *Plast Reconstr Surg.* 2011;127:1300–1310.
22. Spear SL, Carter ME, Ganz JC. The correction of capsular contracture by conversion to “dual-plane” positioning: Technique and outcomes. *Plast Reconstr Surg.* 2003;112:456–466.
23. Blount AL, Martin MD, Lineberry KD, et al. Capsular contracture rate in a low-risk population after primary augmentation mammoplasty. *Aesthet Surg J.* 2013;33:516–521.
24. Regnault P. Breast ptosis: Definition and treatment. *Clin Plast Surg.* 1976;3:193–203.
25. Benelli L. A new periareolar mammoplasty: The “round block” technique. *Aesthetic Plast Surg.* 1990;14:93–100.
26. Hammond DC, Khuthaila DK, Kim J. The interlocking GoreTex suture for control of areolar diameter and shape. *Plast Reconstr Surg.* 2007;119:804–809.
27. Puckett CL, Concannon MJ. Augmenting the narrow-based breast: The unfurling technique to prevent the double-bubble deformity. *Aesthetic Plast Surg.* 1990;14:15–19.

28. Serra-Renom JM, Muñoz-Olmo J, Serra-Mestre JM. Treatment of grade 3 tuberous breasts with Puckett's technique (modified) and fat grafting to correct the constricting ring. *Aesthetic Plast Surg.* 2011;35:773–781.
29. Ribeiro L, Canzi W, Buss A Jr, Accorsi A Jr. Tuberous breast: A new approach. *Plast Reconstr Surg.* 1998;101:42–50; discussion 51.
30. Brown MH, Shenker R, Silver SA. Cohesive silicone gel breast implants in aesthetic and reconstructive breast surgery. *Plast Reconstr Surg.* 2005;116:768–779; discussion 780.