

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 11/10, S. 50

Thema: Risikofaktoren in der Oralchirurgie

Autor: Priv.-Doz. Dr. Jörg Neugebauer, Dr. Franziska Möller, Dr. Dr. Martin Scheer, Priv.-Doz. Dr. Dr. Robert A. Mischkowski, Dr. Frank Kistler, Univ.-Prof. Dr. Dr. Joachim E. Zöller

Literaturliste

1. Blanton PL, Jeske AH. Avoiding complications in local anesthesia induction: anatomical considerations. *J Am Dent Assoc* 134 (7): 888-93, 2003.
2. Bui CH, Seldin EB, Dodson TB. Types, frequencies, and risk factors for complications after third molar extraction. *J Oral Maxillofac Surg* 61 (12): 1379-89, 2003.
3. Burstein J, Mastin C, Le B. Avoiding injury to the inferior alveolar nerve by routine use of intraoperative radiographs during implant placement. *J Oral Implantol* 34 (1): 34-8, 2008.
4. Cornelius CP, Roser M, Ehrenfeld M. [Microneural reconstruction after iatrogenic lesions of the lingual nerve and the inferior alveolar nerve. Critical evaluation]. *Mund Kiefer Gesichtschir* 1 (4): 213-23, 1997.
5. Crean SJ, Powis A. Neurological complications of local anaesthetics in dentistry. *Dent Update* 26 (8): 344-9, 1999.
6. Greenstein G, Tarnow D. The mental foramen and nerve: clinical and anatomical factors related to dental implant placement: a literature review. *J Periodontol* 77 (12): 1933-43, 2006.
7. Gulicher D, Gerlach KL. [Incidence, risk factors and follow-up of sensation disorders after surgical wisdom tooth removal. Study of 1,106 cases]. *Mund Kiefer Gesichtschir* 4 (2): 99-104, 2000.
8. Haas DA. Articaine and paresthesia: epidemiological studies. *J Am Coll Dent* 73 (3): 5-10, 2006.
9. Haas DA, Lennon D. A 21 year retrospective study of reports of paresthesia following local anesthetic administration. *J Can Dent Assoc* 61 (4): 319-20, 323-6, 329-30, 1995.
10. Han JS. Acupuncture: neuropeptide release produced by electrical stimulation of different frequencies. *Trends Neurosci* 26 (1): 17-22, 2003.
11. Hassfeld S, Meinck HM. [Jaw opening reflex: a new electrophysiologic method for objective assessment of trigeminal sensory disorders. I. Method and normal values]. *EEG EMG Z Elektroenzephalogr Elektromyogr Verwandte Geb* 23 (4): 184-9, 1992.
12. Hausamen JE, Hoffmeister B, Reich R. Nervenschädigung - Vorgehensweise nach Läsionen der sensiblen Mandibularisäste. *DZZ* 58 (8): Stellungnahme der DGZMKStand:01.08.03 /1, 2003.
13. Heurich T, Ziegler C, Steveling H, Wortche R, Muhling J, Hassfeld S. [Digital volume tomography--an extension to the diagnostic procedures available for application before surgical removal of third molars]. *Mund Kiefer Gesichtschir* 6 (6): 427-32, 2002.
14. Ka L, Hirata Y, Kobayashi A, Wake H, Kino K, Amagasa T. [Treatment results of acupuncture in inferior alveolar and lingual nerves sensory paralysis after oral surgery]. *Kokubyo Gakkai Zasshi* 73 (1): 40-6, 2006.

15. Kipp DP, Goldstein BH, Weiss WW, Jr. Dyesthesia after mandibular third molar surgery: a retrospective study and analysis of 1,377 surgical procedures. *J Am Dent Assoc* 100 (2): 185-92, 1980.
16. Klasser GD, Utsman R, Epstein JB. Taste change associated with a dental procedure: case report and review of the literature. *J Can Dent Assoc* 74 (5): 455-61, 2008.
17. Kuettner C, Samii M, Brachvogel P, Hausamen JE. [Congenital teratoma of the skull base: case report of an interdisciplinary treatment]. *Zentralbl Neurochir* 64 (3): 128-32, 2003.
18. Pogrel MA, Thamby S. Permanent nerve involvement resulting from inferior alveolar nerve blocks. *J Am Dent Assoc* 131 (7): 901-7, 2000.
19. Pogrel MA, Thamby S. The etiology of altered sensation in the inferior alveolar, lingual, and mental nerves as a result of dental treatment. *J Calif Dent Assoc* 27 (7): 531, 534-8, 1999.
20. Reich RH, Schultze-Mosgau S. [A prospective study on temporary and permanent sensation disorders after oral surgical measures in the lateral mandibular area]. *Dtsch Zahn Mund Kieferheilkd Zentralbl* 80 (3): 135-9, 1992.
21. Scrivani SJ, Moses M, Donoff RB, Kaban LB. Taste perception after lingual nerve repair. *J Oral Maxillofac Surg* 58 (1): 3-5; discussion 5-6, 2000.
22. Smith MH, Lung KE. Nerve injuries after dental injection: a review of the literature. *J Can Dent Assoc* 72 (6): 559-64, 2006.
23. Sonnenburg I, Lowe K. [Nerve dysfunctions following mandibular surgery on an outpatient basis]. *Dtsch Z Mund Kiefer Gesichtschir* 13 (6): 415-9, 1989.
24. Stacy GC, Hajjar G. Barbed needle and inexplicable paresthesias and trismus after dental regional anesthesia. *Oral Surg Oral Med Oral Pathol* 77 (6): 585-8, 1994.
25. Strietzel FP, Reichart PA. [Wound healing after surgical wisdom tooth extraction. Evidence-based analysis]. *Mund Kiefer Gesichtschir* 6 (2): 74-84, 2002.
26. Vazquez L, Saulacic N, Belser U, Bernard JP. Efficacy of panoramic radiographs in the preoperative planning of posterior mandibular implants: a prospective clinical study of 1527 consecutively treated patients. *Clin Oral Implants Res* 19 (1): 81-5, 2008.
27. Venta I, Lindqvist C, Ylipaavalniemi P. Malpractice claims for permanent nerve injuries related to third molar removals. *Acta Odontol Scand* 56 (4): 193-6, 1998.
28. Wofford DT, Miller RI. Prospective study of dyesthesia following odontectomy of impacted mandibular third molars. *J Oral Maxillofac Surg* 45 (1): 15-9, 1987.
29. Worthington P. Injury to the inferior alveolar nerve during implant placement: a formula for protection of the patient and clinician. *Int J Oral Maxillofac Implants* 19 (5): 731-4, 2004.