

Von den Möglichkeiten und Grenzen

DVT in der Endodontie

Dr. Dan D. Brüllmann, Dr. Ralf K. W. Schulze/Mainz

Endodontie Journal 1/2011

Literaturliste

1. Altschuler M, Censor Y, Eggermont P, Herman G, Kuo Y, Lewitt R, et al (1980) Demonstration of a software package for the reconstruction of the dynamically changing structure of the human heart from cone beam x-ray projections. *J Med Syst* 4: 289-304.
2. Minerbo G (1970) Maximum entropy reconstruction from cone-beam projection data. *Comput Biol Med* 9: 29-37.
3. Arai Y, Tammissalo E, Iwai K, Hashimoto K, Shinoda K (1999) Development of a compact computed tomographic apparatus for dental use. *Dentomaxillofac Radiol* 28: 245-8.
4. Patel S (2009) New dimensions in endodontic imaging: Part 2. Cone beam computed tomography. *Int Endod J* 42 : 463–475
5. Arai Y, Honda K, Iwai K, Shinoda K (2001) Practical model ‘3DX’ of limited cone-beam X-ray CT for dental use. *International Congress Series 2001*, 713–718.
6. Hirsch E, Wolf U, Heinicke F, Silva MA.(2008) Dosimetry of the cone beam computed tomography Veraviewepocs 3D compared with the 3D Accuitomo in different fields of view *37:268-73*.
7. Garcia Silva MA, Wolf U, Heinicke F, Gründler K, Visser H, Hirsch E (2008) Effective dosages for recording Veraviewepocs dental panoramic images: analog film, digital, and panoramic scout for CBCT. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 106:571-7
8. Huumonen S, Kvist T, Gröndahl K, Molander A (2006) Diagnostic value of computed tomography in re-treatment of root fillings in maxillary molars. *Int Endod J* 39:827-33
9. Scarfe W, Farman A (2008) What is Cone-Beam CT and How Does it Work? *Dent Clin N Am* 52: 707–730
10. Dawood A, Pitt Ford T, Whaites E (2007) The potential applications of cone beam computed tomography in the management of endodontic problems. *Int Endod J* 40 : 818– 830
11. Lofthag-Hansen S, Thilander-Klang A, Ekestubbe A, Helmrot E, Gröndahl K (2008) Calculating effective dose on a cone beam computed tomography device: 3D Accuitimo and 3D Accuitomo FPD. *Dentomaxillofacial Radiology* 37: 72–9

12. Ludlow JB, Davies-Ludlow LE, Brooks SL, Howerton WB (2006) Dosimetry of 3 CBCT devices for oral and maxillofacial radiology: CB Mercuray, NewTom 3G and i-CAT. *Dentomaxillofacial Radiology* 35: 219–26
13. Schulze D, Heiland M, Thurmann H, Adam G (2004) Radiation exposure during midfacial imaging using 4- and 16-slice computed tomography, cone beam computed tomography systems and conventional radiography. *Dentomaxillofacial Radiology* 33: 83–6
14. AWMF-Leitlinien-Register 083/005. Dentale Volumentomografie. <http://www.uni-duesseldorf.de/AWMF/11/083-005.htm>. Stand 01.10.2010
15. Hannig C, Dullin C, Hülsmann M, Heidrich G (2005) Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an ex vivo in vitro case report. *Int Endod J* 38:904-913
16. Cohenca N, Simon JH, Mathur A, Malfaz JM (2007) Clinical indications for digital imaging in dento-alveolar trauma. Part 2: root resorption. *Dental Traumatology* 23:105-113
17. Stavropoulos A, Wenzel A (2007) Accuracy of cone beam dental CT, intraoral digital and conventional film radiography for the detection of periapical lesions. An ex vivo study in pig jaws. *Clin Oral Investig*; 11:101-106
18. Lofthag-Hansen S, Huumonen S, Gröndahl K, Gröndahl H (2007) Limited cone-beam CT and intraoral radiography for the diagnosis of periapical pathology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:114-119
19. Tamse A, Fuss Z, Lustig J, Kaplavi J (1999) An evaluation of endodontically treated vertically fractured teeth. *J Endod* 25: 506–8
20. Testori T, Badino M, Castagnola M (1993) Vertical root fractures in endodontically treated teeth: a clinical survey of 36 cases. *J Endod* 19: 87–90
21. Youssefzadeh S, Gahleitner A, Dorffner R, Bernhart T, Kainberger FM (1999) Dental vertical root fractures: value of CT in detection. *Radiology* 210: 545–9
22. Hassan B, Metska ME, Ozok AR, van der Stelt P, Wesselink PR (2009) Detection of Vertical Root Fractures in Endodontically Treated Teeth by CBCT *J Endod* 35: 719-722
23. Trope M (2002) Root resorption due to dental trauma. *Endod Topics* 1: 79–100.
24. Kamburoğlu K, Kursun S (2010) A comparison of the diagnostic accuracy of CBCT images of different voxel resolutions used to detect simulated small internal resorption cavities. *Int Endod J* 43:798-807
25. Alani A, Bishop K (2009) The use of MTA in the modern management of teeth affected by dens invaginatus.. *Int Dent J* 59:343-8

26. Scarfe WC, Levin MD, Gane D, Farman AG (2009) Use of Cone Beam Computed Tomography in Endodontics, *Int J Dent* doi: 0.1155/2009/634567
27. Stropko JJ (1999) Canal morphology of maxillary molars: clinical observations of canal configurations. *J Endod* 25:446-50
28. Kulild JC, Peters DD (1990) Incidence and configuration of canal systems in the mesiobuccal root of maxillary first and second molars. *J Endod.* 16:311-7
29. Huybrechts B, Bud M, Bergmans L, Lambrechts P, Jacobs R (2009) Void detection in root fillings using intraoral analogue, intraoral digital and Cone beam CT images. *Int Endod J* 42:675-85
30. Scarfe WC, Farman AG (2008) What is cone-beam CT and how does it work? *Den Clin North Am* 52: 707–730
31. Schulze R, Heil U, Groß D, Brüllmann DD, Dranischnikow E, Schwanecke U, Schoemer E (2010) Artifacts in CBCT: a Review. *Dentomaxillofac Radiol.* Accepted for publication, September 2010
32. Hassan B, Metska ME, Ozok AR, van der Stelt P, Wesselink PR (2010) Comparison of five cone beam computed tomography systems for the detection of vertical root fractures. *J Endod* 36:126-9