

Ausgabe: ZWP 04/08

Thema: Möglichkeiten und Grenzen der ästhetischen Parodontalchirurgie

Autoren: Dr. Claudia Geenen, Prof. Dr. Dr. Anton Sculean

Literatur

¹Serino G, Wennström JL, Lindhe J, Eneroth L. The prevalence and distribution of gingival recession in subjects with high standard of oral hygiene. J Clin Periodontol 1994; 21:57-63.

²Wennström JL. Lack of association between width of attached gingival and development of gingival recessions. A 5-year longitudinal study. J Clin Periodontol 1987; 14: 181-184.

³Cohen D, & Ross S. The double papillae flap in periodontal therapy. J Periodontol 1968; 39:65-70.

⁴Pino Prato G, Pagliaro U, Baldi C, Nieri M, Saletta D, Cairo F, Cortellini P. Coronally advanced flap procedures for root coverage. Flap with tension versus flap without tension: a randomized controlled clinical study. J Periodontol 2000; 71: 188-201.

⁵Sullivan HC, & Atkins JH. Free autogenous gingival grafts. I Principles of successful grafting. Periodontics 1968; 6: 121-129.

⁶Langer B, & Langer L. Subepithelial connective tissue graft technique for root coverage. J Periodontol 1985; 56: 715-720.

⁷Moses O, Artzi Z, Sculean A, Tal H, Kozlovsky A, Romanos GE, Nemcovsky CE. Comparative study of two root coverage procedures: a 24-month follow-up multicenter study. J Periodontol 2006; 77: 195-202

⁸Miller PD JR, A Classification of marginal tissue recession. Int J Periodontic Rest Dent 1985; 5: 9-13

- ⁹Beagle JR. Surgical reconstruction of the interdental papilla: Case report. *Int J Periodontics Restorative Dent* 1992; 12: 144-151.
- ¹⁰Azzi R, Carranza F, Etienne D. Surgical reconstruction of the interdental papilla. *Int J Periodontics Restorative Dent* 1998; 18: 467-473.
- ¹¹Gruppe J, Warren R. Repair of gingival defects by a sliding flap operation. *J Periodontol* 1956; 27: 290-295.
- ¹²Pfeifer J, Heller R. Histologic evaluation of full and partial thickness lateral positioned flaps. A pilot study. *J Periodontol* 1971; 42: 331-333.
- ¹³Harvey P. Management of advanced periodontitis. Part I. Preliminary report of a method of surgical reconstruction. *New Zealand Dental Journal* 1965; 61:180-187.
- ¹⁴Zucchelli G, de Sanctis M. Treatment of multile recession-type defects in patients with esthetics demands. *J Periodontol* 2000; 71: 1506-1514.
- ¹⁵Tarnow DP. Semilunar coronally positioned flap. *J Clin Periodontol* 1986; 13: 182-185.
- ¹⁶Pino Prato GP, Tinti C, Vincenzi G, Magnani C, Cortellini P, Clauser C. Guided tissue regeneration versus mucogingival surgery in the treatment of human buccal gingival recession. *J Periodontol* 1992; 63: 919-928.
- ¹⁷Hürzeler MB, Weng D. A single-incision technique to harvest subepithelial connective tissue grafts from the palate. *Int J Periodontics Restorative Dent*. 1999;19:279-287.
- ¹⁸Raetzke PB. Covering localized areas of root exposure employing the “envelope technique” *J Periodontol*. 1985;56:397-402.
- ¹⁹Allen AL. Use of the suprapariosteal envelope in soft tissue grafting for root coverage. I Rationale and Technique. *Int J Periodont Rest Dent* 1994; 14: 217-227.

²⁰Spahr A, Haegewald S, Tsoulfidou F, Rompola E, Heijl L, Bernimoulin JP, Ring C, Sander S, Haller B. J Periodontol 2005; 76: 1871-1880.

²¹Pilloni A, Paolantonio M, Camargo PM. Root coverage with a coronally-positioned flap procedure in combination with enamel matrix derivatives: 18-month clinical evaluation. J Periodontol 2006; 77:2031-2039

²³Wennström JL, Pini Prato GP: Mucogingival Therapy. Chapter 19 in Clinical Periodontology and Implant Dentistry 1998; P. 550-596. Hrsg. Lindhe, J., 3rd Edition, Munksgaard Verlag.

²⁴Geenen C, Chondros P, Sculean A. Papillenrekonstruktion-ein vorhersehbarer Erfolg oder Fiktion. Parodontologie 2008;19:35-41.