

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 1+2/17

Thema: Zahnfarbene Versorgung mit Glasionomer-basierten Füllungskonzepten

Autorin: Dr. Dana Adyani-Fard

Literatur

1. Al-Abdi A, Paris S, Schwendicke F. Glass hybrid, but not calcium hydroxide remineralized artificial residual caries lesions in vitro. Clin Oral Investig 2016, DOI 10.1007/s00784-016-1803-6
2. Diem V et al. The effect of a nano-filled resin coating on the 3-year clinical performance of a conventional high-viscosity glass-ionomer cement. Clin Oral Investig 2014; 18(3): 753-759
3. GC Corporation, Research & Development
4. Gurgan, S: 6 year clinical success of GI restorative comparing with composite resin in posterior teeth. J Dent Res 2015; 94(Spec Iss B), Abstract 220, CED-IADR. http://www.ced-iadr2015.com/meeting_abstracts.pdf
5. Klinke, T: EQUIA Fil – The Clinical Performance over Four Years in a Dental Practice-based Research Network. J Dent Res 2015; 94(Spec Iss B), Abstract 219, CED-IADR. http://www.ced-iadr2015.com/meeting_abstracts.pdf
6. Pressemappe zur IDS-Presskonferenz 10.03.2015 in Köln. Pressemitteilung „GC EQUIA Forte – neues Restaurationssystem mit Glas-Hybrid-Technologie
7. Schwendicke, F: Introducing the Glass Hybrid Technology. Abstract 221, CED-IADR 2015, Antalya
8. Schwendicke F, Al-Abdi A, Meyer-Lückel H, Paris S: Pulpal remineralisation of artificial residual caries lesions in vitro. Caries Res 2015; 49: 591-594