

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 1+2/19

Thema: Komplikationsmanagement bei Exposition nach Biologischem Eigenknochenaufbau

Autor: Dr. Frank Zastrow

Literatur

1. Neugebauer J, Kistler F, Bayer G, Scheer M, Rothamel D, Zöller E: Keeping peri-implantitis at bay, EDI 2011;7:50-55.
2. Sbordone L, Toti P, Menchini-Fabris G, Sbordone C, Guidetti F: Implant survival in maxillary and mandibular osseous onlay grafts and native bone: a 3-year clinical and computerized tomographic follow-up, Int J Oral Maxillofac Implants 2009;24:695-703.
3. Khoury F, Khoury C: Mandibular bone block grafts: instrumentation, harvesting technique and application, Journal de Parodontologie & d'Implantologie Orale 2005;25:15-34.
4. Khoury F, Hanser T: [O 056] Method and results in harvesting mandibular bone block grafts, Clin Oral Implants Res - Oral presentation at the 17th EAO Warsaw 2008;19:653-654.
5. Zitzmann NU, Berglundh T: Definition and prevalence of peri-implant diseases, J Clin Periodontol 2008;35:286-291.
6. Atieh MA, Alsabeeha NH, Faggion CM, Jr., Duncan WJ: The Frequency of Peri-Implant Diseases: A Systematic Review and Meta-Analysis, J Periodontol 2012;
7. Lang NP, Berglundh T: Periimplant diseases: where are we now?--Consensus of the Seventh European Workshop on Periodontology, J Clin Periodontol 2011;38 Suppl 11:178-181.
8. Heydecke G, Boudrias P, Awad MA, De Albuquerque RF, Lund JP, Feine JS: Within-subject comparisons of maxillary fixed and removable implant prostheses: Patient satisfaction and choice of prosthesis, Clin Oral Implants Res 2003;14:125-130.
9. Khoury F, Happe A: Soft tissue management in oral implantology: a review of surgical techniques for shaping an esthetic and functional peri-implant soft tissue structure, Quintessence Int 2000;31:483-499.